

Born in Bradford Data Dictionary

BiB 1000 18 month questionnaire

Contents

Background	1
Born in Bradford	2
Study identifiers	3
BiB1000 18m: Dried veg, pasta, rice-based meals	4
BiB1000 18m: Dried desserts	6
BiB1000 18m: Breakfast meals	8
BiB1000 18m: Meat or fish-based meals	10
BiB1000 18m: Veg, pasta, rice-based savoury meals	12
BiB1000 18m: Milk or cereal-based desserts	14
BiB1000 18m: Fruit-based desserts	16
BiB1000 18m: Pure fruit puree	18
BiB1000 18m: Types of cereals used	20
BiB1000 18m: Other types of yoghurt	21
BiB1000 18m: Other types of blackcurrant squash	22
BiB1000 18m: Child care arrangements	23
BiB1000 18m: Parent-reported child diagnoses	25
BiB1000 18m: Dried baby cereals	26
BiB1000 18m: Other snacks consumed by parent	28
BiB1000 18m: Other ready/take-away meals (parent)	29
BiB1000 18m: Main 18 month questionnaire	30
BiB1000 18m: Other foods and drinks	128
BiB1000 18 month child nutrients intake	130

Background

This document is a data dictionary for BiB 1000 18 month questionnaire. It describes 605 variables from 19 sources. This document was built from Born in Bradford database version BUILD-JAN2018.

Born in Bradford

Born in Bradford is a longitudinal multi-ethnic birth cohort study aiming to examine the impact of environmental, psychological and genetic factors on maternal and child health and wellbeing. Bradford is a city in the North of England with high levels of socio-economic deprivation and ethnic diversity. Women were recruited at the Bradford Royal Infirmary at 26-28 weeks gestation. For those consenting, a baseline questionnaire was completed. The full BiB cohort recruited 12,453 women and 3353 of their partners across 13,776 pregnancies and 13,858 children between 2007 and 2010. The cohort is broadly characteristic of the city's maternal population. Mean age of the mothers at study recruitment was 27 years old. Researchers are looking at the links between the circumstances of a child's birth, the context in which they grow up, their health and well-being and their educational progress. Ethical approval for the data collection was granted by Bradford Research Ethics Committee (Ref 07/H1302/112).

Study identifiers

Study identifiers are standardised across Born in Bradford data sources to enable linking of data from different sources.

Variable	Variable Label	Details
ChildID	BiB Child ID	Unique ID assigned to each child at birth. Where birth outcome is unknown for a given pregnancy, ChildID will be blank and there is no child recruited to the study from that pregnancy. Use MotherID with ChildID to link siblings together. Note that twins have separate ChildIDs but the same PregnancyID.
FatherID	BiB Father ID	Unique ID assigned to partners post-recruitment. Use FatherID with PregnancyID to link fathers across pregnancies. Where FatherID matches across two PregnancyIDs, but those PregnancyIDs are associated with different MotherIDs, this is a father with two separate pregnancies in the cohort with different mothers. Likewise, where MotherID matches across two PregnancyIDs, but those PregnancyIDs are associated with different FatherIDs, this is a mother with two separate pregnancies in the cohort with different fathers.
MotherID	BiB Mother ID	Unique ID assigned to each mother post-recruitment. MotherID should be used when looking for pregnancies or children associated with the same mother. Data collected at pregnancy level will duplicate for MotherIDs that are in the study for more than one pregnancy.
PregnancyID	BiB Pregnancy ID	Unique ID assigned to each mother at recruitment. It is named PregnancyID because a mother can enrol for more than one pregnancy. If a mother returns to enrol for a second or third pregnancy, she is assigned a new PregnancyID. Children and partners from that pregnancy can be linked to the mother by the PregnancyID

BiB1000 18m: Dried veg, pasta, rice-based meals

Database ID for source: b18e11

This source is measured at the **child** level. It contains data from 25 children with more than one observation per child. There are 5 variables with a total of 26 observations.

Description

BiB1000 18m: Dried vegetable, pasta or rice-based meals

Variable	Variable Label	Details
bib18e11brand	Brand of dried meat/fish-based meals	<p>Questionnaire: Categorical value</p> <hr/> <p>25 non-missing values 25 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18e11brand11b1]: 1 = Bebivita 2 = Cow and Gate 3 = Farleys 4 = Heinz 5 = HiPP Organics 6 = Mumtaz (Halal) 7 = Organix 8 = Plum Baby Organic 9 = Other/Supermarket own</p>
bib18e11frequency	Number of times per week consumes dried meat/fish-based meals	<p>Questionnaire: Categorical value</p> <hr/> <p>26 non-missing values 25 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18e11foodfreq11b1]: 1 = Never 2 = 1-3 per month 3 = One day a week 4 = Two days a week 5 = Three days a week 6 = Four days a week 7 = Five days a week 8 = Six days a week 9 = Seven days a week</p>
bib18e11otherbrand	Other brand of dried meat/fish-based meals	<p>Questionnaire: Text value</p> <hr/> <p>4 unique values 26 non-missing values 25 children with between 1 and 2 observations each</p>

Variable	Variable Label	Details
bib18e11quantity	Average number of dessert spoons consumed	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 2 to 8 Mean 4.40 26 non-missing values 25 children with between 1 and 2 observations each</p>
bib18e11timesperday	Number of times per day consumes dried dried meat/fish-based meals	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 3 Mean 1.15 26 non-missing values 25 children with between 1 and 2 observations each</p>

BiB1000 18m: Dried desserts

Database ID for source: b18e12

This source is measured at the **child** level. It contains data from 13 children with more than one observation per child. There are 5 variables with a total of 13 observations.

Description

BiB1000 18m: Dried desserts

Variable	Variable Label	Details
bib18e12brand	Brand of dried veg/pasta/rice-based meals	<p>Questionnaire: Categorical value</p> <hr/> <p>13 non-missing values 13 children with between 1 and 1 observations each</p> <hr/> <p>Coding [b18e12brand11b1]: 1 = Bebivita 2 = Cow and Gate 3 = Farleys 4 = Heinz 5 = HiPP Organics 6 = Mumtaz (Halal) 7 = Organix 8 = Plum Baby Organic 9 = Other/Supermarket own</p>
bib18e12frequency	Number of times per week consumes dried veg/pasta/rice-based meals	<p>Questionnaire: Categorical value</p> <hr/> <p>13 non-missing values 13 children with between 1 and 1 observations each</p> <hr/> <p>Coding [b18e12foodfreq11b1]: 1 = Never 2 = 1-3 per month 3 = One day a week 4 = Two days a week 5 = Three days a week 6 = Four days a week 7 = Five days a week 8 = Six days a week 9 = Seven days a week</p>
bib18e12otherbrand	Other brand of dried veg/pasta/rice-based meals	<p>Questionnaire: Text value</p> <hr/> <p>2 unique values 13 non-missing values 13 children with between 1 and 1 observations each</p>

Variable	Variable Label	Details
bib18e12quantity	Average number of dessert spoons consumed	Questionnaire: Integer value Range 2 to 10 Mean 4.31 13 non-missing values 13 children with between 1 and 1 observations each
bib18e12timesperday	Number of times per day consumes dried dried veg/pasta/rice-based meals	Questionnaire: Integer value Range 1 to 2 Mean 1.15 13 non-missing values 13 children with between 1 and 1 observations each

BiB1000 18m: Breakfast meals

Database ID for source: b18e14

This source is measured at the **child** level. It contains data from 29 children with more than one observation per child. There are 6 variables with a total of 30 observations.

Description

BiB1000 18m: Breakfast meals

Variable	Variable Label	Details
bib18e14brand	Brand of breakfast meals	<p>Questionnaire: Categorical value</p> <hr/> <p>30 non-missing values 29 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18e14brand21b1]: 1 = Annabel Karmel 2 = Cow and Gate 3 = Ellas Kitchen 4 = Heinz 5 = HiPP Organics 6 = Mumtaz (Halal) 7 = Organix 8 = Other Supermarket own</p>
bib18e14frequency	Number of times per week consumes breakfast meals	<p>Questionnaire: Categorical value</p> <hr/> <p>30 non-missing values 29 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18e14foodfreq11b1]: 1 = Never 2 = 1-3 per month 3 = One day a week 4 = Two days a week 5 = Three days a week 6 = Four days a week 7 = Five days a week 8 = Six days a week 9 = Seven days a week</p>
bib18e14otherbrand	Other brand of breakfast meals	<p>Questionnaire: Text value</p> <hr/> <p>2 unique values 30 non-missing values 29 children with between 1 and 2 observations each</p>

Variable	Variable Label	Details
bib18e14quantity	Average number of jars consumed	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0 to 2.5 Mean 1.07 30 non-missing values 29 children with between 1 and 2 observations each</p>
bib18e14size	Size of jar	<p>Questionnaire: Categorical value</p> <hr/> <p>30 non-missing values 29 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18e14size11b1]: 1 = 125g 2 = 200g 3 = 250g</p>
bib18e14timesperday	Number of times per day consumes breakfast meals	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 2 Mean 1.10 30 non-missing values 29 children with between 1 and 2 observations each</p>

BiB1000 18m: Meat or fish-based meals

Database ID for source: b18e15

This source is measured at the **child** level. It contains data from 66 children with more than one observation per child. There are 6 variables with a total of 67 observations.

Description

BiB1000 18m: Meat or fish-based meals

Variable	Variable Label	Details
bib18e15brand	Brand of meat/fish-based meals	<p>Questionnaire: Categorical value</p> <hr/> <p>66 non-missing values 66 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18e15brand21b1]: 1 = Annabel Karmel 2 = Cow and Gate 3 = Ellas Kitchen 4 = Heinz 5 = HiPP Organics 6 = Mumtaz (Halal) 7 = Organix 8 = Other Supermarket own</p>
bib18e15frequency	Number of times per week consumes meat/fish-based meals	<p>Questionnaire: Categorical value</p> <hr/> <p>67 non-missing values 66 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18e15foodfreq11b1]: 1 = Never 2 = 1-3 per month 3 = One day a week 4 = Two days a week 5 = Three days a week 6 = Four days a week 7 = Five days a week 8 = Six days a week 9 = Seven days a week</p>
bib18e15otherbrand	Other brand of meat/fish-based meals	<p>Questionnaire: Text value</p> <hr/> <p>3 unique values 67 non-missing values 66 children with between 1 and 2 observations each</p>

Variable	Variable Label	Details
bib18e15quantity	Average number of jars consumed	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0.25 to 2.5 Mean 0.94 67 non-missing values 66 children with between 1 and 2 observations each</p>
bib18e15size	Size of jar	<p>Questionnaire: Categorical value</p> <hr/> <p>66 non-missing values 66 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18e15size11b1]: 1 = 125g 2 = 200g 3 = 250g</p>
bib18e15timesperday	Number of times per day consumes meat/fish-based meals	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 5 Mean 1.12 67 non-missing values 66 children with between 1 and 2 observations each</p>

BiB1000 18m: Veg, pasta, rice-based savoury meals

Database ID for source: b18e16

This source is measured at the **child** level. It contains data from 90 children with more than one observation per child. There are 6 variables with a total of 94 observations.

Description

BiB1000 18m: Vegetable, pasta or rice-based savoury meals

Variable	Variable Label	Details
bib18e16brand	Brand of veg/pasta/rice-based meals	<p>Questionnaire: Categorical value</p> <hr/> <p>92 non-missing values 90 children with between 1 and 3 observations each</p> <hr/> <p>Coding [b18e16brand21b1]: 1 = Annabel Karmel 2 = Cow and Gate 3 = Ellas Kitchen 4 = Heinz 5 = HiPP Organics 6 = Mumtaz (Halal) 7 = Organix 8 = Other Supermarket own</p>
bib18e16frequency	Number of times per week consumes veg/pasta/rice-based meals	<p>Questionnaire: Categorical value</p> <hr/> <p>94 non-missing values 90 children with between 1 and 3 observations each</p> <hr/> <p>Coding [b18e16foodfreq11b1]: 1 = Never 2 = 1-3 per month 3 = One day a week 4 = Two days a week 5 = Three days a week 6 = Four days a week 7 = Five days a week 8 = Six days a week 9 = Seven days a week</p>
bib18e16otherbrand	Other brand of veg/pasta/rice-based meals	<p>Questionnaire: Text value</p> <hr/> <p>3 unique values 94 non-missing values 90 children with between 1 and 3 observations each</p>

Variable	Variable Label	Details
bib18e16quantity	Average number of jars consumed	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0 to 2 Mean 0.95 92 non-missing values 90 children with between 1 and 3 observations each</p>
bib18e16size	Size of jar	<p>Questionnaire: Categorical value</p> <hr/> <p>94 non-missing values 90 children with between 1 and 3 observations each</p> <hr/> <p>Coding [b18e16size11b1]: 1 = 125g 2 = 200g 3 = 250g</p>
bib18e16timesperday	Number of times per day consumes veg/pasta/rice-based meals	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 3 Mean 1.06 94 non-missing values 90 children with between 1 and 3 observations each</p>

BiB1000 18m: Milk or cereal-based desserts

Database ID for source: b18e17

This source is measured at the **child** level. It contains data from 78 children with more than one observation per child. There are 6 variables with a total of 80 observations.

Description

BiB1000 18m: Milk or cereal-based desserts

Variable	Variable Label	Details
bib18e17brand	Brand of milk/cereal-based desserts	<p>Questionnaire: Categorical value</p> <hr/> <p>80 non-missing values 78 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18e17brand21b1]: 1 = Annabel Karmel 2 = Cow and Gate 3 = Ellas Kitchen 4 = Heinz 5 = HiPP Organics 6 = Mumtaz (Halal) 7 = Organix 8 = Other Supermarket own</p>
bib18e17frequency	Number of times per week consumes milk/cereal-based desserts	<p>Questionnaire: Categorical value</p> <hr/> <p>80 non-missing values 78 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18e17foodfreq11b1]: 1 = Never 2 = 1-3 per month 3 = One day a week 4 = Two days a week 5 = Three days a week 6 = Four days a week 7 = Five days a week 8 = Six days a week 9 = Seven days a week</p>
bib18e17otherbrand	Other brand of milk/cereal-based desserts	<p>Questionnaire: Text value</p> <hr/> <p>4 unique values 80 non-missing values 78 children with between 1 and 2 observations each</p>

Variable	Variable Label	Details
bib18e17quantity	Average number of jars consumed	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0.5 to 2 Mean 0.98 79 non-missing values 78 children with between 1 and 2 observations each</p>
bib18e17size	Size of jar	<p>Questionnaire: Categorical value</p> <hr/> <p>80 non-missing values 78 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18e17size11b1]: 1 = 125g 2 = 200g 3 = 250g</p>
bib18e17timesperday	Number of times per day consumes milk/cereal-based desserts	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 2 Mean 1.05 80 non-missing values 78 children with between 1 and 2 observations each</p>

BiB1000 18m: Fruit-based desserts

Database ID for source: b18e18

This source is measured at the **child** level. It contains data from 53 children with more than one observation per child. There are 6 variables with a total of 57 observations.

Description

BiB1000 18m: Fruit-based desserts (not pure fruit puree)

Variable	Variable Label	Details
bib18e18brand	Brand of fruit-based desserts	<p>Questionnaire: Categorical value</p> <hr/> <p>56 non-missing values 53 children with between 1 and 3 observations each</p> <hr/> <p>Coding [b18e18brand21b1]: 1 = Annabel Karmel 2 = Cow and Gate 3 = Ellas Kitchen 4 = Heinz 5 = HiPP Organics 6 = Mumtaz (Halal) 7 = Organix 8 = Other Supermarket own</p>
bib18e18frequency	Number of times per week consumes fruit-based desserts	<p>Questionnaire: Categorical value</p> <hr/> <p>57 non-missing values 53 children with between 1 and 3 observations each</p> <hr/> <p>Coding [b18e18foodfreq11b1]: 1 = Never 2 = 1-3 per month 3 = One day a week 4 = Two days a week 5 = Three days a week 6 = Four days a week 7 = Five days a week 8 = Six days a week 9 = Seven days a week</p>
bib18e18otherbrand	Other brand of fruit-based desserts	<p>Questionnaire: Text value</p> <hr/> <p>2 unique values 57 non-missing values 53 children with between 1 and 3 observations each</p>

Variable	Variable Label	Details
bib18e18quantity	Average number of jars consumed	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0.5 to 2 Mean 0.99 56 non-missing values 53 children with between 1 and 3 observations each</p>
bib18e18size	Size of jar	<p>Questionnaire: Categorical value</p> <hr/> <p>56 non-missing values 53 children with between 1 and 3 observations each</p> <hr/> <p>Coding [b18e18size11b1]: 1 = 125g 2 = 200g 3 = 250g</p>
bib18e18timesperday	Number of times per day consumes fruit-based desserts	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 2 Mean 1.04 56 non-missing values 53 children with between 1 and 3 observations each</p>

BiB1000 18m: Pure fruit puree

Database ID for source: b18e19

This source is measured at the **child** level. It contains data from 63 children with more than one observation per child. There are 6 variables with a total of 67 observations.

Description

BiB1000 18m: Pure fruit puree

Variable	Variable Label	Details
bib18e19brand	Brand of pure fruit puree	<p>Questionnaire: Categorical value</p> <hr/> <p>65 non-missing values 63 children with between 1 and 3 observations each</p> <hr/> <p>Coding [b18e19brand21b1]: 1 = Annabel Karmel 2 = Cow and Gate 3 = Ellas Kitchen 4 = Heinz 5 = HiPP Organics 6 = Mumtaz (Halal) 7 = Organix 8 = Other Supermarket own</p>
bib18e19frequency	Number of times per week consumes pure fruit puree	<p>Questionnaire: Categorical value</p> <hr/> <p>65 non-missing values 63 children with between 1 and 3 observations each</p> <hr/> <p>Coding [b18e19foodfreq11b1]: 1 = Never 2 = 1-3 per month 3 = One day a week 4 = Two days a week 5 = Three days a week 6 = Four days a week 7 = Five days a week 8 = Six days a week 9 = Seven days a week</p>
bib18e19otherbrand	Other brand of pure fruit puree	<p>Questionnaire: Text value</p> <hr/> <p>2 unique values 67 non-missing values 63 children with between 1 and 3 observations each</p>

Variable	Variable Label	Details
bib18e19quantity	Average number of jars consumed	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0.5 to 2.5 Mean 1.02 66 non-missing values 63 children with between 1 and 3 observations each</p>
bib18e19size	Size of jar	<p>Questionnaire: Categorical value</p> <hr/> <p>65 non-missing values 63 children with between 1 and 3 observations each</p> <hr/> <p>Coding [b18e19size11b1]: 1 = 125g 2 = 200g 3 = 250g</p>
bib18e19timesperday	Number of times per day consumes pure fruit puree	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 2 Mean 1.05 66 non-missing values 63 children with between 1 and 3 observations each</p>

BiB1000 18m: Types of cereals used

Database ID for source: b18e26

This source is measured at the **child** level. It contains data from 1177 children with more than one observation per child. There are 4 variables with a total of 1784 observations.

Description

BiB1000 18m: Types of cereals used

Variable	Variable Label	Details
bib18e26brand	Brand of cereal	<p>Questionnaire: Categorical value</p> <hr/> <p>1751 non-missing values 1177 children with between 1 and 3 observations each</p> <hr/> <p>Coding [b18e26brand31b1]: 1 = Kellogg's 2 = Nestle 3 = Morrisons 4 = ASDA 5 = Tesco 6 = Sainsbury's 7 = Other 8 = Weetabix 9 = Quaker</p>
bib18e26otherbrand	Other brand of cereal	<p>Questionnaire: Text value</p> <hr/> <p>26 unique values 1784 non-missing values 1177 children with between 1 and 3 observations each</p>
bib18e26quantity	Average number of dessert spoons per serving	<p>Questionnaire: Integer value</p> <hr/> <p>Range NA to NA Mean NA NA non-missing values 1177 children with between NA and NA observations each</p>
bib18e26typeofcereal	Type of cereal	<p>Questionnaire: Text value</p> <hr/> <p>133 unique values 1784 non-missing values 1177 children with between 1 and 3 observations each</p>

BiB1000 18m: Other types of yoghurt

Database ID for source: b18e69

This source is measured at the **child** level. It contains data from 68 children with more than one observation per child. There is 1 variable with a total of 73 observations.

Description

BiB1000 18m: Other types of yoghurt or fromage frais

Variable	Variable Label	Details
bib18e69type	Specify other type of yoghurt/fromage frais	Questionnaire: Text value <hr/> 40 unique values 73 non-missing values 68 children with between 1 and 3 observations each

BiB1000 18m: Other types of blackcurrant squash

Database ID for source: b18e92

This source is measured at the **child** level. It contains data from 1279 children with more than one observation per child. There is 1 variable with a total of 1279 observations.

Description

BiB1000 18m: Other types of blackcurrant squash

Variable	Variable Label	Details
bib18e92type	Type of fruit squash	Questionnaire: Text value <hr/> 4 unique values 1279 non-missing values 1279 children with between 1 and 1 observations each

BiB1000 18m: Child care arrangements

Database ID for source: b18qb2

This source is measured at the **child** level. It contains data from 135 children with more than one observation per child. There are 4 variables with a total of 151 observations.

Description

BiB1000 18m: Child care arrangements

Variable	Variable Label	Details
bib18b2carer	Carer	<p>Questionnaire: Categorical value</p> <hr/> <p>151 non-missing values 135 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18qb2carer1b1]: 1 = Husband/Wife/Partner 2 = Baby's non-resident father/mother 3 = Your mother 4 = Your father 5 = Your partner's mother 6 = Your partner's father 7 = Baby's non-resident father's/mother's mother 8 = Baby's non-resident father's/mother's father 9 = Other relative 10 = Friends/Neighbours 11 = Live-in nanny/au pair 12 = Other nanny/au pair 13 = Registered childminder 14 = Unregistered childminder 15 = Workplace/college nursery/crèche 16 = Local authority day nursery/crèche 17 = Private day nursery/crèche</p>
bib18b2feedbaby	Does carer feed child	<p>Questionnaire: Categorical value</p> <hr/> <p>151 non-missing values 135 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18qb2yesno1b1]: 1 = Yes 2 = No</p>
bib18b2hrsperweek	Hours per week carer looks after child	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 2 to 50 Mean 20.11 151 non-missing values 135 children with between 1 and 2 observations each</p>

Variable	Variable Label	Details
bib18b2inhome	Is child looked after in your home	Questionnaire: Categorical value <hr/> 149 non-missing values 135 children with between 1 and 2 observations each <hr/> Coding [b18qb2yesno1b1]: 1 = Yes 2 = No

BiB1000 18m: Parent-reported child diagnoses

Database ID for source: b18qc4

This source is measured at the **child** level. It contains data from 181 children with more than one observation per child. There is 1 variable with a total of 195 observations.

Description

BiB1000 18m: Parent-reported child medical diagnoses

Variable	Variable Label	Details
bib18c04diagnosis	Diagnosis	Questionnaire: Text value <hr/> 109 unique values 195 non-missing values 181 children with between 1 and 3 observations each

BiB1000 18m: Dried baby cereals

Database ID for source: b18qe9

This source is measured at the **child** level. It contains data from 68 children with more than one observation per child. There are 5 variables with a total of 69 observations.

Description

BiB1000 18m: Dried baby cereals

Variable	Variable Label	Details
bib18e9brand	Brand of dried baby cereal	<p>Questionnaire: Categorical value</p> <hr/> <p>68 non-missing values 68 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18qe9brand11b1]: 1 = Bevivita 2 = Cow and Gate 3 = Farleys 4 = Heinz 5 = HiPP Organics 6 = Mumtaz (Halal) 7 = Organix 8 = Plum Baby Organic 9 = Other/Supermarket own</p>
bib18e9frequency	Number of times per week consumes dried baby cereal	<p>Questionnaire: Categorical value</p> <hr/> <p>69 non-missing values 68 children with between 1 and 2 observations each</p> <hr/> <p>Coding [b18qe9foodfreq11b1]: 1 = Never 2 = 1-3 per month 3 = One day a week 4 = Two days a week 5 = Three days a week 6 = Four days a week 7 = Five days a week 8 = Six days a week 9 = Seven days a week</p>
bib18e9otherbrand	Other brand of dried baby cereal	<p>Questionnaire: Text value</p> <hr/> <p>6 unique values 69 non-missing values 68 children with between 1 and 2 observations each</p>

Variable	Variable Label	Details
bib18e9quantity	Average number of dessert spoons consumed	Questionnaire: Continuous value ----- Range 1 to 12.5 Mean 4.36 69 non-missing values 68 children with between 1 and 2 observations each
bib18e9timesperday	Number of times per day consumes dried baby cereal	Questionnaire: Integer value ----- Range 1 to 9 Mean 1.19 69 non-missing values 68 children with between 1 and 2 observations each

BiB1000 18m: Other snacks consumed by parent

Database ID for source: b18qh2

This source is measured at the **child** level. It contains data from 75 children with more than one observation per child. There are 2 variables with a total of 75 observations.

Description

BiB1000 18m: Other snacks consumed by parent

Variable	Variable Label	Details
bib18h2description	Description of other snacks	Questionnaire: Text value <hr/> 12 unique values 75 non-missing values 75 children with between 1 and 1 observations each
bib18h2frequency	Frequency consume other snacks	Questionnaire: Categorical value <hr/> 75 non-missing values 75 children with between 1 and 1 observations each <hr/> Coding [b18qh2foodfreq11b1]: 1 = Never 2 = 1-3 per month 3 = One day a week 4 = Two days a week 5 = Three days a week 6 = Four days a week 7 = Five days a week 8 = Six days a week 9 = Seven days a week

BiB1000 18m: Other ready/take-away meals (parent)

Database ID for source: b18qh4

This source is measured at the **child** level. It contains data from 79 children with more than one observation per child. There are 2 variables with a total of 79 observations.

Description

BiB1000 18m: Other ready/take-away meals consumed by parent

Variable	Variable Label	Details
bib18h4description	Description of other ready meals	<p>Questionnaire: Text value</p> <hr/> <p>11 unique values 79 non-missing values 79 children with between 1 and 1 observations each</p>
bib18h4frequency	Frequency consume other ready meals	<p>Questionnaire: Categorical value</p> <hr/> <p>79 non-missing values 79 children with between 1 and 1 observations each</p> <hr/> <p>Coding [b18qh4foodfreq11b1]: 1 = Never 2 = 1-3 per month 3 = One day a week 4 = Two days a week 5 = Three days a week 6 = Four days a week 7 = Five days a week 8 = Six days a week 9 = Seven days a week</p>

BiB1000 18m: Main 18 month questionnaire

Database ID for source: b18tab

This source is measured at the **child** level. It contains data from 1293 children with one observation per child. There are 475 variables with a total of 1293 observations. 3 variables are sensitive or potentially disclosive and will be hidden from standard data packages. These are marked as *Hidden*, below.

Description

BiB1000 18m: All other variables from 18 month questionnaire

Variable	Variable Label	Details
agecm_b18tab	Child age (months)BiB1000 18m questionnaire	Administrative: Integer value <hr/> Child age in months at data capture date for sourceBiB1000 18m questionnaire <hr/> Range 15 to 22 Mean 18.23 1293 non-missing values
agecy_b18tab	Child age (years)BiB1000 18m questionnaire	Administrative: Integer value <hr/> Child age in years at data capture date for sourceBiB1000 18m questionnaire <hr/> Range 1 to 1 Mean 1.00 1293 non-missing values
agemm_b18tab	Mother age (months)BiB1000 18m questionnaire	Administrative: Integer value <hr/> Mother age in months at data capture date for sourceBiB1000 18m questionnaire <hr/> Range 200 to 611 Mean 355.47 1293 non-missing values
agemy_b18tab	Mother age (years)BiB1000 18m questionnaire	Administrative: Integer value <hr/> Mother age in years at data capture date for sourceBiB1000 18m questionnaire <hr/> Range 16 to 50 Mean 29.15 1293 non-missing values

Variable	Variable Label	Details
bib18a01	Describe your own health	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabpoortoex1b1]: 1 = Excellent 2 = Very good 3 = Good 4 = Fair 5 = Poor
bib18a02	Describe your child's health	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabpoortoex1b1]: 1 = Excellent 2 = Very good 3 = Good 4 = Fair 5 = Poor
bib18b01	Have there been any changes to your childcare arrangements since our last visit	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18b02	Have you ever made any regular arrangement for your child to be looked after	Questionnaire: Categorical value <hr/> 165 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c01	Has child seen a doctor/nurse since they were 6 months old	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
bib18c02	How many times seen doctor/nurse	Questionnaire: Categorical value <hr/> 958 non-missing values <hr/> Coding [b18tabnumbertimes1b1]: 1 = Once 2 = Twice 3 = 3-4 times 4 = 5-10 times 5 = 11+ times 6 = Don't know 7 = Refused to answer
bib18c03abreathprob	Saw doctor - breathing problems	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03achestinf	Saw doctor - chest infection	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03aconstipation	Saw doctor - constipation	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
bib18c03aconvulsions	Saw doctor - convulsions	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c03acough	Saw doctor - cough	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c03acrying	Saw doctor - crying	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c03adiarrhoea	Saw doctor - diarrhoea	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c03aearprob	Saw doctor - ear problems	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>

Variable	Variable Label	Details
bib18c03againmuchwt	Saw doctor - gaining too much weight	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03ahightemp	Saw doctor - high temperature	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03anogainwt	Saw doctor - not gaining weight	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03aother	Saw doctor - other reason	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03aotherspecified	Specify why saw doctor because of other reason	Questionnaire: Text value <hr/> 169 unique values 1293 non-missing values

Variable	Variable Label	Details
bib18c03askinprob	Saw doctor - skin problems	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03asnuffles	Saw doctor - snuffles	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03athrush	Saw doctor - thrush	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03atummy	Saw doctor - tummy upset	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03auti	Saw doctor - urinary tract infection	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
bib18c03avomiting	Saw doctor - vomiting	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c03bbreathprob	Saw nurse - breathing problems	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c03bchestinf	Saw nurse - chest infection	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c03bconstipation	Saw nurse - constipation	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c03bconvulsions	Saw nurse - convulsions	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>

Variable	Variable Label	Details
bib18c03bcough	Saw nurse - cough	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03bcrying	Saw nurse - crying	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03bdiarrhoea	Saw nurse - diarrhoea	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03bearprob	Saw nurse - ear problems	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03bgainmuchwt	Saw nurse - gaining too much weight	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
bib18c03bhightemp	Saw nurse - high temperature	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03bnogainwt	Saw nurse - not gaining weight	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03bother	Saw nurse - other reason	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18c03botherspecified	Specify why saw nurse because of other reason	Questionnaire: Text value <hr/> 1 unique values 1293 non-missing values
bib18c03bskinprob	Saw nurse - skin problems	Questionnaire: Categorical value <hr/> 1293 non-missing values <hr/> Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
bib18c03bsnuffles	Saw nurse - snuffles	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c03bthrush	Saw nurse - thrush	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c03btummy	Saw nurse - tummy upset	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c03buti	Saw nurse - urinary tract infection	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c03bvomiting	Saw nurse - vomiting	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>

Variable	Variable Label	Details
bib18c04	Has child been given a medical diagnosis	<p>Questionnaire: Categorical value</p> <hr/> <p>1249 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c05	Has child been admitted to hospital since he was 6 months old	<p>Questionnaire: Categorical value</p> <hr/> <p>1249 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c05a	Number of hospital admissions	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 20 Mean 1.64 183 non-missing values</p>
bib18c06	Has child been to an outpatient clinic since he was 6 months old	<p>Questionnaire: Categorical value</p> <hr/> <p>1249 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18c06a	Number of outpatient clinics attended	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 20 Mean 2.43 252 non-missing values</p>
bib18c07	Has child been hurt/injured/had accident and needed medical attention	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>

Variable	Variable Label	Details
bib18c07a	Number of times child has been hurt etc	Questionnaire: Integer value Range 1 to 5 Mean 1.10 159 non-missing values
bib18d01a	How many hours does child sleep during the day	Questionnaire: Continuous value Range 0 to 11 Mean 3.44 1283 non-missing values
bib18d01ana	Child does not sleep during day	Questionnaire: Categorical value 10 non-missing values Coding [b18tabna1b1]: 1 = Not applicable
bib18d01b	How many hours does child sleep at night	Questionnaire: Continuous value Range 0 to 12 Mean 9.25 1292 non-missing values
bib18d01bna	Child does not sleep during night	Questionnaire: Categorical value 1 non-missing values Coding [b18tabna1b1]: 1 = Not applicable
bib18e01	How many days was child breastfed out of past 4 weeks	Questionnaire: Integer value Range 5 to 28 Mean 23.23 108 non-missing values
bib18e01na	Child was not breastfed	Questionnaire: Categorical value 1182 non-missing values Coding [b18tabna1b1]: 1 = Not applicable
bib18e02	How many feeds per day did child have on these days	Questionnaire: Integer value Range 0 to 8 Mean 3.50 108 non-missing values

Variable	Variable Label	Details
bib18e03mins	Number of minutes child was sucking (derived)	Questionnaire: Integer value Range 0 to 600 Mean 2.01 1293 non-missing values
bib18e04	Has child had expressed milk in past 4 weeks	Questionnaire: Categorical value 1290 non-missing values Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18e05	How many days did child have expressed milk	Questionnaire: Integer value Range NA to NA Mean NA NA non-missing values
bib18e06	How many times per day did child have expressed milk	Questionnaire: Integer value Range NA to NA Mean NA NA non-missing values
bib18e07	Average amount of expressed milk per day	Questionnaire: Integer value Range NA to NA Mean NA NA non-missing values
bib18e08	Did child eat any dried foods in pat 4 weeks	Questionnaire: Categorical value 1293 non-missing values Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
bib18e09	Dried baby cereals	<p>Questionnaire: Categorical value</p> <hr/> <p>83 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]:</p> <p>1 = Yes</p> <p>2 = No</p> <p>3 = Don't know</p> <p>4 = Refused to answer</p>
bib18e10	Dried meat or fish-based meals	<p>Questionnaire: Categorical value</p> <hr/> <p>83 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]:</p> <p>1 = Yes</p> <p>2 = No</p> <p>3 = Don't know</p> <p>4 = Refused to answer</p>
bib18e100amount	Amount child had of goat's milk	<p>Questionnaire: Integer value</p> <hr/> <p>Range 2 to 9</p> <p>Mean 6.42</p> <p>12 non-missing values</p>
bib18e100brandcode	Brand of child had goat's milk	<p>Questionnaire: Categorical value</p> <hr/> <p>12 non-missing values</p> <hr/> <p>Coding [b18tabbrandgoat1b1]:</p> <p>1 = Whole</p> <p>2 = Skimmed</p> <p>3 = Semi-skimmed</p>
bib18e100frequency	Frequency child had goat's milk	<p>Questionnaire: Categorical value</p> <hr/> <p>1289 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>

Variable	Variable Label	Details
bib18e100timesperday	Times per day child had goat's milk	Questionnaire: Integer value Range 1 to 4 Mean 2.25 12 non-missing values
bib18e101amount	Amount child had of soya milk	Questionnaire: Integer value Range 2 to 9 Mean 6.15 13 non-missing values
bib18e101brandcode	Brand of child had soya milk	Questionnaire: Categorical value 13 non-missing values Coding [b18tabbrandsoyam1b1]: 1 = Original 2 = Light 3 = Sweetened 4 = Unsweetened
bib18e101frequency	Frequency child had soya milk	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e101timesperday	Times per day child had soya milk	Questionnaire: Integer value Range 1 to 5 Mean 2.00 13 non-missing values
bib18e102amount	Amount child had of soya formula	Questionnaire: Continuous value Range 2 to 10 Mean 6.28 220 non-missing values

Variable	Variable Label	Details
bib18e102brandcode	Brand of child had formula milk	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 20 Mean 5.34 220 non-missing values</p> <hr/> <p>Coding [b18tabbrandformmlb1]: 1 = Cow and Gate 2 = Milupa 3 = Aptamil 4 = SMA 5 = HiPP Organic 6 = Heinz 7 = Farleys 8 = Other</p>
bib18e102brandother	Other brand of child had formula milk	<p>Questionnaire: Text value</p> <hr/> <p>8 unique values 1293 non-missing values</p>
bib18e102frequency	Frequency child had formula milk	<p>Questionnaire: Categorical value</p> <hr/> <p>1289 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week</p>
bib18e102timesperday	Times per day child had formula milk	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 7 Mean 2.22 220 non-missing values</p>
bib18e103amount	Amount child had of soya formula	<p>Questionnaire: Integer value</p> <hr/> <p>Range 2 to 7 Mean 5.50 8 non-missing values</p>

Variable	Variable Label	Details
bib18e103brandcode	Brand of child had soya formula	<p>Questionnaire: Integer value</p> <hr/> <p>Range 3 to 11 Mean 7.25 8 non-missing values</p> <hr/> <p>Coding [b18tabbrandformmlb1]: 1 = Cow and Gate 2 = Milupa 3 = Aptamil 4 = SMA 5 = HiPP Organic 6 = Heinz 7 = Farleys 8 = Other</p>
bib18e103brandother	Other brand of child had soya formula	<p>Questionnaire: Text value</p> <hr/> <p>2 unique values 1293 non-missing values</p>
bib18e103frequency	Frequency child had soya formula	<p>Questionnaire: Categorical value</p> <hr/> <p>1288 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week</p>
bib18e103timesperday	Times per day child had soya formula	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 6 Mean 2.63 8 non-missing values</p>
bib18e11	Dried vegetable, pasta or rice-based meals	<p>Questionnaire: Categorical value</p> <hr/> <p>83 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>

Variable	Variable Label	Details
bib18e12	Dried desserts	<p>Questionnaire: Categorical value</p> <hr/> <p>83 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18e13	Did child eat jars, tins or pots of baby food in past 4 weeks	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18e14	Breakfasts e.g. porridge	<p>Questionnaire: Categorical value</p> <hr/> <p>220 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18e15	Meat or fish-based meals	<p>Questionnaire: Categorical value</p> <hr/> <p>220 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18e16	Vegetable, pasta or rice-based meals	<p>Questionnaire: Categorical value</p> <hr/> <p>220 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>

Variable	Variable Label	Details
bib18e17	Milk or cereal-based desserts	<p>Questionnaire: Categorical value</p> <hr/> <p>220 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18e18	Fruit-based desserts, not including fruit puree	<p>Questionnaire: Categorical value</p> <hr/> <p>220 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18e19	Pure fruit puree	<p>Questionnaire: Categorical value</p> <hr/> <p>220 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18e20amount	Amount child had of white bread	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0 to 5 Mean 0.95 950 non-missing values</p>
bib18e20frequency	Frequency child had white bread	<p>Questionnaire: Categorical value</p> <hr/> <p>1288 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week</p>

Variable	Variable Label	Details
bib18e20timesperday	Times per day child had white bread	Questionnaire: Integer value Range 0 to 5 Mean 1.05 947 non-missing values
bib18e21amount	Amount child had of brown bread	Questionnaire: Continuous value Range 0.25 to 5 Mean 0.95 681 non-missing values
bib18e21frequency	Frequency child had brown bread	Questionnaire: Categorical value 1291 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e21timesperday	Times per day child had brown bread	Questionnaire: Integer value Range 0 to 3 Mean 1.05 679 non-missing values
bib18e22amount	Amount child had of crackers etc	Questionnaire: Continuous value Range 0.25 to 5 Mean 1.40 614 non-missing values

Variable	Variable Label	Details
bib18e22frequency	Frequency child had crackers etc	<p>Questionnaire: Categorical value</p> <hr/> <p>1290 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e22timesperday	Times per day child had crackers etc	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 5</p> <p>Mean 1.05</p> <p>611 non-missing values</p>
bib18e23amount	Amount child had of chapattis made with white flour	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0 to 5</p> <p>Mean 0.70</p> <p>227 non-missing values</p>
bib18e23frequency	Frequency child had chapattis made with white flour	<p>Questionnaire: Categorical value</p> <hr/> <p>1287 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e23timesperday	Times per day child had chapattis made with white flour	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 10</p> <p>Mean 1.15</p> <p>227 non-missing values</p>

Variable	Variable Label	Details
bib18e24amount	Amount child had of chapattis made with wholemeal flour	Questionnaire: Continuous value Range 0 to 5 Mean 0.65 546 non-missing values
bib18e24frequency	Frequency child had chapattis made with wholemeal flour	Questionnaire: Categorical value 1291 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e24timesperday	Times per day child had chapattis made with wholemeal flour	Questionnaire: Integer value Range 1 to 3 Mean 1.19 544 non-missing values
bib18e25amount	Amount child had of breakfast cereals and porridge	Questionnaire: Continuous value Range 0.5 to 20 Mean 5.81 1190 non-missing values
bib18e25frequency	Frequency child had breakfast cereals and porridge	Questionnaire: Categorical value 1275 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e25timesperday	Times per day child had breakfast cereals and porridge	Questionnaire: Integer value Range 0 to 9 Mean 1.04 1175 non-missing values
bib18e27amount	Amount child had of boiled and baked potatoes	Questionnaire: Continuous value Range 0.5 to 10 Mean 1.61 1041 non-missing values
bib18e27frequency	Frequency child had boiled and baked potatoes	Questionnaire: Categorical value 1291 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e27timesperday	Times per day child had boiled and baked potatoes	Questionnaire: Integer value Range 0 to 2 Mean 1.01 1036 non-missing values
bib18e28amount	Amount child had of chips etc	Questionnaire: Continuous value Range 0.5 to 10 Mean 1.16 1148 non-missing values

Variable	Variable Label	Details
bib18e28frequency	Frequency child had chips etc	Questionnaire: Categorical value 1290 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e28timesperday	Times per day child had chips etc	Questionnaire: Integer value Range 0 to 2 Mean 1.00 1144 non-missing values
bib18e29amount	Amount child had of boiled rice	Questionnaire: Continuous value Range 0.5 to 15 Mean 3.89 909 non-missing values
bib18e29frequency	Frequency child had boiled rice	Questionnaire: Categorical value 1291 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e29timesperday	Times per day child had boiled rice	Questionnaire: Integer value Range 0 to 2 Mean 1.02 904 non-missing values

Variable	Variable Label	Details
bib18e30amount	Amount child had of fried rice etc	Questionnaire: Continuous value Range 0 to 15 Mean 4.37 606 non-missing values
bib18e30frequency	Frequency child had fried rice etc	Questionnaire: Categorical value 1291 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e30timesperday	Times per day child had fried rice etc	Questionnaire: Integer value Range 0 to 3 Mean 1.03 603 non-missing values
bib18e31amount	Amount child had of pasta	Questionnaire: Continuous value Range 0.5 to 20 Mean 4.16 1058 non-missing values
bib18e31frequency	Frequency child had pasta	Questionnaire: Categorical value 1291 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e31timesperday	Times per day child had pasta	Questionnaire: Integer value Range 0 to 3 Mean 1.02 1053 non-missing values
bib18e32amount	Amount child had of chicken in batter	Questionnaire: Continuous value Range 0.5 to 8 Mean 1.38 614 non-missing values
bib18e32frequency	Frequency child had chicken in batter	Questionnaire: Categorical value 1291 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e32timesperday	Times per day child had chicken in batter	Questionnaire: Integer value Range 0 to 2 Mean 1.00 610 non-missing values
bib18e33amount	Amount child had of beef burgers	Questionnaire: Continuous value Range 0.5 to 8 Mean 2.03 244 non-missing values

Variable	Variable Label	Details
bib18e33frequency	Frequency child had beef burgers	<p>Questionnaire: Categorical value</p> <hr/> <p>1291 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e33timesperday	Times per day child had beef burgers	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 3</p> <p>Mean 1.01</p> <p>241 non-missing values</p>
bib18e34amount	Amount child had of bacon and gammon	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0.5 to 4</p> <p>Mean 1.29</p> <p>122 non-missing values</p>
bib18e34frequency	Frequency child had bacon and gammon	<p>Questionnaire: Categorical value</p> <hr/> <p>1291 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e34timesperday	Times per day child had bacon and gammon	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 1</p> <p>Mean 0.98</p> <p>120 non-missing values</p>

Variable	Variable Label	Details
bib18e35amount	Amount child had of sausages	Questionnaire: Continuous value Range 0.5 to 8 Mean 1.90 477 non-missing values
bib18e35frequency	Frequency child had sausages	Questionnaire: Categorical value 1291 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e35timesperday	Times per day child had sausages	Questionnaire: Integer value Range 0 to 2 Mean 1.00 475 non-missing values
bib18e36amount	Amount child had of meat casseroles	Questionnaire: Integer value Range 1 to 15 Mean 3.09 1046 non-missing values
bib18e36frequency	Frequency child had meat casseroles	Questionnaire: Categorical value 1291 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e36timesperday	Times per day child had meat casseroles	Questionnaire: Integer value Range 0 to 3 Mean 1.07 1044 non-missing values
bib18e37amount	Amount child had of roast, grilled or fried meat	Questionnaire: Continuous value Range 0.5 to 8 Mean 1.47 817 non-missing values
bib18e37frequency	Frequency child had roast, grilled or fried meat	Questionnaire: Categorical value 1290 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e37timesperday	Times per day child had roast, grilled or fried meat	Questionnaire: Integer value Range 0 to 2 Mean 1.00 811 non-missing values
bib18e38amount	Amount child had of liver, kidney and faggots	Questionnaire: Continuous value Range 0.5 to 5 Mean 1.55 57 non-missing values

Variable	Variable Label	Details
bib18e38frequency	Frequency child had liver, kidney and faggots	Questionnaire: Categorical value <hr/> 1290 non-missing values <hr/> Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e38timesperday	Times per day child had liver, kidney and faggots	Questionnaire: Integer value <hr/> Range 0 to 1 Mean 0.96 57 non-missing values
bib18e39amount	Amount child had of meat pies and sausage rolls	Questionnaire: Continuous value <hr/> Range 0.5 to 8 Mean 1.95 538 non-missing values
bib18e39frequency	Frequency child had meat pies and sausage rolls	Questionnaire: Categorical value <hr/> 1291 non-missing values <hr/> Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e39timesperday	Times per day child had meat pies and sausage rolls	Questionnaire: Integer value <hr/> Range 0 to 2 Mean 1.00 536 non-missing values

Variable	Variable Label	Details
bib18e40amount	Amount child had of ham and processed cold meats	Questionnaire: Continuous value Range 0.5 to 8 Mean 1.24 327 non-missing values
bib18e40frequency	Frequency child had ham and processed cold meats	Questionnaire: Categorical value 1291 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e40timesperday	Times per day child had ham and processed cold meats	Questionnaire: Integer value Range 0 to 2 Mean 1.00 326 non-missing values
bib18e41amount	Amount child had of fish in batter	Questionnaire: Continuous value Range 0.5 to 5 Mean 1.79 987 non-missing values
bib18e41frequency	Frequency child had fish in batter	Questionnaire: Categorical value 1291 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e41timesperday	Times per day child had fish in batter	Questionnaire: Integer value Range 0 to 2 Mean 1.00 983 non-missing values
bib18e42amount	Amount child had of other white fish	Questionnaire: Continuous value Range 0.5 to 8 Mean 1.81 599 non-missing values
bib18e42frequency	Frequency child had other white fish	Questionnaire: Categorical value 1291 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e42timesperday	Times per day child had other white fish	Questionnaire: Integer value Range 0 to 1 Mean 0.99 595 non-missing values
bib18e43amount	Amount child had of oily fish	Questionnaire: Continuous value Range 0 to 8 Mean 1.99 567 non-missing values

Variable	Variable Label	Details
bib18e43frequency	Frequency child had oily fish	<p>Questionnaire: Categorical value</p> <hr/> <p>1289 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e43timesperday	Times per day child had oily fish	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 2</p> <p>Mean 0.99</p> <p>563 non-missing values</p>
bib18e44amount	Amount child had of tinned vegetables	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0 to 10</p> <p>Mean 2.23</p> <p>379 non-missing values</p>
bib18e44frequency	Frequency child had tinned vegetables	<p>Questionnaire: Categorical value</p> <hr/> <p>1290 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e44timesperday	Times per day child had tinned vegetables	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 7</p> <p>Mean 1.04</p> <p>379 non-missing values</p>

Variable	Variable Label	Details
bib18e45amount	Amount child had of carrots	Questionnaire: Continuous value Range 0.5 to 15 Mean 1.89 1051 non-missing values
bib18e45frequency	Frequency child had carrots	Questionnaire: Categorical value 1290 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e45timesperday	Times per day child had carrots	Questionnaire: Integer value Range 0 to 21 Mean 1.04 1046 non-missing values
bib18e46amount	Amount child had of peas and green beans	Questionnaire: Continuous value Range 0.5 to 10 Mean 1.82 936 non-missing values
bib18e46frequency	Frequency child had peas and green beans	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e46timesperday	Times per day child had peas and green beans	Questionnaire: Integer value <hr/> Range 0 to 122222222 Mean 130719.96 935 non-missing values
bib18e47amount	Amount child had of sweetcorn	Questionnaire: Continuous value <hr/> Range 0.5 to 10 Mean 1.76 569 non-missing values
bib18e47frequency	Frequency child had sweetcorn	Questionnaire: Categorical value <hr/> 1290 non-missing values <hr/> Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e47timesperday	Times per day child had sweetcorn	Questionnaire: Integer value <hr/> Range 0 to 2 Mean 1.00 571 non-missing values
bib18e48amount	Amount child had of broccoli etc	Questionnaire: Continuous value <hr/> Range 0.5 to 10 Mean 1.79 739 non-missing values

Variable	Variable Label	Details
bib18e48frequency	Frequency child had broccoli etc	<p>Questionnaire: Categorical value</p> <hr/> <p>1289 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e48timesperday	Times per day child had broccoli etc	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 2</p> <p>Mean 1.00</p> <p>736 non-missing values</p>
bib18e49amount	Amount child had of cauliflower	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0 to 10</p> <p>Mean 1.69</p> <p>742 non-missing values</p>
bib18e49frequency	Frequency child had cauliflower	<p>Questionnaire: Categorical value</p> <hr/> <p>1289 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e49timesperday	Times per day child had cauliflower	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 2</p> <p>Mean 1.01</p> <p>738 non-missing values</p>

Variable	Variable Label	Details
bib18e50amount	Amount child had of tomatoes	Questionnaire: Continuous value Range 0.5 to 15 Mean 2.05 889 non-missing values
bib18e50frequency	Frequency child had tomatoes	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e50timesperday	Times per day child had tomatoes	Questionnaire: Integer value Range 0 to 4 Mean 1.06 885 non-missing values
bib18e51amount	Amount child had of green salad	Questionnaire: Continuous value Range 0 to 5 Mean 1.14 924 non-missing values
bib18e51frequency	Frequency child had green salad	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e51timesperday	Times per day child had green salad	Questionnaire: Integer value Range 0 to 14 Mean 1.05 918 non-missing values
bib18e52amount	Amount child had of beans and pulses	Questionnaire: Continuous value Range 0.5 to 11 Mean 2.53 1029 non-missing values
bib18e52frequency	Frequency child had beans and pulses	Questionnaire: Categorical value 1290 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e52timesperday	Times per day child had beans and pulses	Questionnaire: Integer value Range 0 to 3 Mean 1.02 1024 non-missing values
bib18e53amount	Amount child had of other vegetables	Questionnaire: Continuous value Range 0.5 to 15 Mean 1.74 560 non-missing values

Variable	Variable Label	Details
bib18e53frequency	Frequency child had other vegetables	<p>Questionnaire: Categorical value</p> <hr/> <p>1288 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e53timesperday	Times per day child had other vegetables	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 3</p> <p>Mean 1.03</p> <p>557 non-missing values</p>
bib18e54amount	Amount child had of vegetarian burgers etc	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0.5 to 5</p> <p>Mean 1.16</p> <p>190 non-missing values</p>
bib18e54frequency	Frequency child had vegetarian burgers etc	<p>Questionnaire: Categorical value</p> <hr/> <p>1290 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e54timesperday	Times per day child had vegetarian burgers etc	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 1</p> <p>Mean 1.00</p> <p>190 non-missing values</p>

Variable	Variable Label	Details
bib18e55amount	Amount child had of pizza	Questionnaire: Continuous value Range 0.5 to 8 Mean 1.25 912 non-missing values
bib18e55frequency	Frequency child had pizza	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e55timesperday	Times per day child had pizza	Questionnaire: Integer value Range 0 to 2 Mean 1.00 908 non-missing values
bib18e56amount	Amount child had of quiche	Questionnaire: Continuous value Range 0.5 to 5 Mean 1.11 279 non-missing values
bib18e56frequency	Frequency child had quiche	Questionnaire: Categorical value 1290 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e56timesperday	Times per day child had quiche	Questionnaire: Integer value Range 0 to 1 Mean 0.99 275 non-missing values
bib18e57amount	Amount child had of eggs	Questionnaire: Continuous value Range 0 to 3 Mean 0.89 896 non-missing values
bib18e57frequency	Frequency child had eggs	Questionnaire: Categorical value 1290 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e57timesperday	Times per day child had eggs	Questionnaire: Integer value Range 0 to 3 Mean 1.00 893 non-missing values
bib18e58amount	Amount child had of cheese	Questionnaire: Continuous value Range 0.1 to 8 Mean 1.19 892 non-missing values

Variable	Variable Label	Details
bib18e58frequency	Frequency child had cheese	Questionnaire: Categorical value <hr/> 1288 non-missing values <hr/> Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e58timesperday	Times per day child had cheese	Questionnaire: Integer value <hr/> Range 0 to 7 Mean 1.04 889 non-missing values
bib18e59amount	Amount child had of savoury white sauce	Questionnaire: Integer value <hr/> Range 1 to 10 Mean 1.98 281 non-missing values
bib18e59frequency	Frequency child had savoury white sauce	Questionnaire: Categorical value <hr/> 1290 non-missing values <hr/> Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e59timesperday	Times per day child had savoury white sauce	Questionnaire: Integer value <hr/> Range 0 to 2 Mean 0.99 280 non-missing values

Variable	Variable Label	Details
bib18e60amount	Amount child had of tinned fruit	Questionnaire: Integer value Range 0 to 12 Mean 3.08 184 non-missing values
bib18e60frequency	Frequency child had tinned fruit	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e60timesperday	Times per day child had tinned fruit	Questionnaire: Integer value Range 0 to 2 Mean 1.01 184 non-missing values
bib18e61amount	Amount child had of apples and pears	Questionnaire: Continuous value Range 0 to 3 Mean 0.56 1122 non-missing values
bib18e61frequency	Frequency child had apples and pears	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e61timesperday	Times per day child had apples and pears	Questionnaire: Integer value Range 0 to 4 Mean 1.04 1117 non-missing values
bib18e62amount	Amount child had of bananas	Questionnaire: Continuous value Range 0 to 3 Mean 0.80 1112 non-missing values
bib18e62frequency	Frequency child had bananas	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e62timesperday	Times per day child had bananas	Questionnaire: Integer value Range 0 to 3 Mean 1.03 1107 non-missing values
bib18e63amount	Amount child had of oranges and satsumas	Questionnaire: Continuous value Range 0.25 to 9 Mean 1.15 810 non-missing values

Variable	Variable Label	Details
bib18e63frequency	Frequency child had oranges and satsumas	Questionnaire: Categorical value <hr/> 1290 non-missing values <hr/> Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e63timesperday	Times per day child had oranges and satsumas	Questionnaire: Integer value <hr/> Range 0 to 4 Mean 1.04 803 non-missing values
bib18e64amount	Amount child had of peaches etc	Questionnaire: Continuous value <hr/> Range 0.5 to 8 Mean 1.35 653 non-missing values
bib18e64frequency	Frequency child had peaches etc	Questionnaire: Categorical value <hr/> 1290 non-missing values <hr/> Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e64timesperday	Times per day child had peaches etc	Questionnaire: Integer value <hr/> Range 0 to 10 Mean 1.02 649 non-missing values

Variable	Variable Label	Details
bib18e65amount	Amount child had of strawberries etc	Questionnaire: Continuous value Range 0 to 6 Mean 0.99 817 non-missing values
bib18e65frequency	Frequency child had strawberries etc	Questionnaire: Categorical value 1290 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e65timesperday	Times per day child had strawberries etc	Questionnaire: Integer value Range 0 to 3 Mean 1.01 814 non-missing values
bib18e66amount	Amount child had of plums etc	Questionnaire: Continuous value Range 0 to 5 Mean 0.85 1053 non-missing values
bib18e66frequency	Frequency child had plums etc	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e66timesperday	Times per day child had plums etc	Questionnaire: Integer value Range 0 to 11 Mean 1.07 1048 non-missing values
bib18e67amount	Amount child had of yoghurt and fromage frais	Questionnaire: Integer value Range 0 to 250 Mean 59.67 1183 non-missing values
bib18e67frequency	Frequency child had yoghurt and fromage frais	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e67timesperday	Times per day child had yoghurt and fromage frais	Questionnaire: Integer value Range 0 to 11 Mean 1.21 1181 non-missing values
bib18e68a	Has child had ordinary whole milk	Questionnaire: Categorical value 1038 non-missing values Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
bib18e68b	Has child had ordinary low fat milk	<p>Questionnaire: Categorical value</p> <hr/> <p>21 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18e68c	Has child had Danone baby fromage frais	<p>Questionnaire: Categorical value</p> <hr/> <p>22 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18e68d	Has child had Onky Blok fromage frais	<p>Questionnaire: Categorical value</p> <hr/> <p>23 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18e68e	Has child had supermarket own brand fromage frais	<p>Questionnaire: Categorical value</p> <hr/> <p>41 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>
bib18e69	Has child had other milk or fromage frais	<p>Questionnaire: Categorical value</p> <hr/> <p>69 non-missing values</p> <hr/> <p>Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer</p>

Variable	Variable Label	Details
bib18e70amount	Amount child had of other ready made desserts	Questionnaire: Continuous value Range 0.5 to 2 Mean 0.92 326 non-missing values
bib18e70frequency	Frequency child had other ready made desserts	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e70timesperday	Times per day child had other ready made desserts	Questionnaire: Integer value Range 0 to 2 Mean 1.01 323 non-missing values
bib18e71amount	Amount child had of ice-cream	Questionnaire: Integer value Range 0 to 10 Mean 3.18 641 non-missing values
bib18e71frequency	Frequency child had ice-cream	Questionnaire: Categorical value 1290 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e71timesperday	Times per day child had ice-cream	Questionnaire: Integer value Range 0 to 2 Mean 1.00 641 non-missing values
bib18e72amount	Amount child had of custard	Questionnaire: Continuous value Range 0 to 15 Mean 3.64 571 non-missing values
bib18e72frequency	Frequency child had custard	Questionnaire: Categorical value 1287 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e72timesperday	Times per day child had custard	Questionnaire: Integer value Range 0 to 2 Mean 1.00 566 non-missing values
bib18e73amount	Amount child had of halva	Questionnaire: Continuous value Range 0.5 to 12 Mean 2.89 250 non-missing values

Variable	Variable Label	Details
bib18e73frequency	Frequency child had halva	Questionnaire: Categorical value <hr/> 1288 non-missing values <hr/> Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e73timesperday	Times per day child had halva	Questionnaire: Integer value <hr/> Range 1 to 4 Mean 1.02 249 non-missing values
bib18e74amount	Amount child had of milk puddings	Questionnaire: Continuous value <hr/> Range 0.5 to 15 Mean 3.72 630 non-missing values
bib18e74frequency	Frequency child had milk puddings	Questionnaire: Categorical value <hr/> 1289 non-missing values <hr/> Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e74timesperday	Times per day child had milk puddings	Questionnaire: Integer value <hr/> Range 0 to 2 Mean 1.00 629 non-missing values

Variable	Variable Label	Details
bib18e75amount	Amount child had of other puddings	Questionnaire: Continuous value Range 0.5 to 9 Mean 2.70 290 non-missing values
bib18e75frequency	Frequency child had other puddings	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e75timesperday	Times per day child had other puddings	Questionnaire: Integer value Range 0 to 1 Mean 0.99 289 non-missing values
bib18e76amount	Amount child had of cakes, buns and pastries	Questionnaire: Continuous value Range 0.5 to 5 Mean 1.19 775 non-missing values
bib18e76frequency	Frequency child had cakes, buns and pastries	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e76timesperday	Times per day child had cakes, buns and pastries	Questionnaire: Integer value Range 0 to 2 Mean 1.00 771 non-missing values
bib18e77amount	Amount child had of chocolate and digestive biscuits	Questionnaire: Continuous value Range 0 to 8 Mean 1.24 653 non-missing values
bib18e77frequency	Frequency child had chocolate and digestive biscuits	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e77timesperday	Times per day child had chocolate and digestive biscuits	Questionnaire: Integer value Range 1 to 5 Mean 1.04 650 non-missing values
bib18e78amount	Amount child had of other biscuits	Questionnaire: Continuous value Range 0.5 to 5 Mean 1.12 989 non-missing values

Variable	Variable Label	Details
bib18e78frequency	Frequency child had other biscuits	<p>Questionnaire: Categorical value</p> <hr/> <p>1289 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e78timesperday	Times per day child had other biscuits	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 6</p> <p>Mean 1.05</p> <p>986 non-missing values</p>
bib18e79amount	Amount child had of chocolate	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0 to 8</p> <p>Mean 1.10</p> <p>820 non-missing values</p>
bib18e79frequency	Frequency child had chocolate	<p>Questionnaire: Categorical value</p> <hr/> <p>1288 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e79timesperday	Times per day child had chocolate	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 3</p> <p>Mean 1.01</p> <p>819 non-missing values</p>

Variable	Variable Label	Details
bib18e80amount	Amount child had of sweets	Questionnaire: Continuous value Range 0.5 to 5 Mean 0.83 397 non-missing values
bib18e80frequency	Frequency child had sweets	Questionnaire: Categorical value 1280 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e80timesperday	Times per day child had sweets	Questionnaire: Integer value Range 0 to 3 Mean 1.01 395 non-missing values
bib18e81amount	Amount child had of crisps	Questionnaire: Continuous value Range 0.25 to 3 Mean 0.66 1096 non-missing values
bib18e81frequency	Frequency child had crisps	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e81timesperday	Times per day child had crisps	Questionnaire: Integer value Range 0 to 2 Mean 1.01 1093 non-missing values
bib18e82amount	Amount child had of marmite and bovril	Questionnaire: Continuous value Range 0 to 2 Mean 0.63 53 non-missing values
bib18e82frequency	Frequency child had marmite and bovril	Questionnaire: Categorical value 1282 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e82timesperday	Times per day child had marmite and bovril	Questionnaire: Integer value Range 0 to 1 Mean 0.98 52 non-missing values
bib18e83amount	Amount child had of peanut butter	Questionnaire: Integer value Range 1 to 2 Mean 1.28 53 non-missing values

Variable	Variable Label	Details
bib18e83frequency	Frequency child had peanut butter	Questionnaire: Categorical value <hr/> 1282 non-missing values <hr/> Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e83timesperday	Times per day child had peanut butter	Questionnaire: Integer value <hr/> Range 1 to 1 Mean 1.00 53 non-missing values
bib18e84amount	Amount child had of jam and sweet spreads	Questionnaire: Integer value <hr/> Range 0 to 5 Mean 1.31 562 non-missing values
bib18e84frequency	Frequency child had jam and sweet spreads	Questionnaire: Categorical value <hr/> 1286 non-missing values <hr/> Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e84timesperday	Times per day child had jam and sweet spreads	Questionnaire: Integer value <hr/> Range 0 to 2 Mean 0.99 561 non-missing values

Variable	Variable Label	Details
bib18e85amount	Amount child had of butter and margarine	Questionnaire: Continuous value Range 0 to 6 Mean 1.07 1096 non-missing values
bib18e85frequency	Frequency child had butter and margarine	Questionnaire: Categorical value 1287 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e85timesperday	Times per day child had butter and margarine	Questionnaire: Integer value Range 0 to 12 Mean 1.04 1090 non-missing values
bib18e86amount	Amount child had of sugar	Questionnaire: Continuous value Range 0.25 to 5 Mean 0.76 366 non-missing values
bib18e86frequency	Frequency child had sugar	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e86timesperday	Times per day child had sugar	Questionnaire: Integer value Range 0 to 7 Mean 1.11 364 non-missing values
bib18e87amountozs	Amount child had of baby juices	Questionnaire: Continuous value Range 0.5 to 10 Mean 4.35 110 non-missing values
bib18e87frequency	Frequency child had baby juices	Questionnaire: Categorical value 1288 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e87timesperday	Times per day child had baby juices	Questionnaire: Integer value Range 1 to 4 Mean 1.48 110 non-missing values
bib18e88amountozs	Amount child had of pure fruit juice	Questionnaire: Continuous value Range 0.5 to 10 Mean 3.85 685 non-missing values

Variable	Variable Label	Details
bib18e88frequency	Frequency child had pure fruit juice	<p>Questionnaire: Categorical value</p> <hr/> <p>1289 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e88timesperday	Times per day child had pure fruit juice	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 15</p> <p>Mean 1.35</p> <p>682 non-missing values</p>
bib18e89amountozs	Amount child had of fruit drinks	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0 to 10</p> <p>Mean 5.14</p> <p>581 non-missing values</p>
bib18e89frequency	Frequency child had fruit drinks	<p>Questionnaire: Categorical value</p> <hr/> <p>1287 non-missing values</p> <hr/> <p>Coding [b18tabfreq51b1]:</p> <p>1 = Never</p> <p>2 = 1-3 time per month</p> <p>3 = 1 day per week</p> <p>4 = 2 days per week</p> <p>5 = 3 days per week</p> <p>6 = 4 days per week</p> <p>7 = 5 days per week</p> <p>8 = 6 days per week</p> <p>9 = 7 days per week</p>
bib18e89timesperday	Times per day child had fruit drinks	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 12</p> <p>Mean 1.29</p> <p>578 non-missing values</p>

Variable	Variable Label	Details
bib18e90amountozs	Amount child had of Ribena etc	Questionnaire: Continuous value Range 0 to 10 Mean 4.36 375 non-missing values
bib18e90frequency	Frequency child had Ribena etc	Questionnaire: Categorical value 1288 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e90timesperday	Times per day child had Ribena etc	Questionnaire: Integer value Range 0 to 10 Mean 1.51 371 non-missing values
bib18e91a	Has child had ordinary Ribena	Questionnaire: Categorical value 222 non-missing values Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18e91b	Has child had Ribena really light	Questionnaire: Categorical value 73 non-missing values Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
bib18e91c	Has child had low sugar high juice blackcurrant	Questionnaire: Categorical value ----- 66 non-missing values ----- Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18e92	Has child had other blackcurrant	Questionnaire: Categorical value ----- 3 non-missing values ----- Coding [b18tabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
bib18e93amountozs	Amount child had of squash (not low cal)	Questionnaire: Continuous value ----- Range 0 to 10 Mean 4.41 302 non-missing values
bib18e93frequency	Frequency child had squash (not low cal)	Questionnaire: Categorical value ----- 1288 non-missing values ----- Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e93timesperday	Times per day child had squash (not low cal)	Questionnaire: Integer value ----- Range 1 to 154 Mean 2.62 302 non-missing values

Variable	Variable Label	Details
bib18e94amountozs	Amount child had of squash (low cal)	Questionnaire: Continuous value Range 0.5 to 10 Mean 5.14 435 non-missing values
bib18e94frequency	Frequency child had squash (low cal)	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e94timesperday	Times per day child had squash (low cal)	Questionnaire: Integer value Range 1 to 33 Mean 2.39 435 non-missing values
bib18e95amountozs	Amount child had of fizzy drinks (not low cal)	Questionnaire: Continuous value Range 0.5 to 8 Mean 2.37 173 non-missing values
bib18e95frequency	Frequency child had fizzy drinks (not low cal)	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week

Variable	Variable Label	Details
bib18e95timesperday	Times per day child had fizzy drinks (not low cal)	Questionnaire: Integer value Range 0 to 4 Mean 1.06 173 non-missing values
bib18e96amountozs	Amount child had of fizzy drinks (low cal)	Questionnaire: Continuous value Range 0.5 to 9 Mean 2.43 38 non-missing values
bib18e96frequency	Frequency child had fizzy drinks (low cal)	Questionnaire: Categorical value 1288 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e96timesperday	Times per day child had fizzy drinks (low cal)	Questionnaire: Integer value Range 0 to 3 Mean 1.05 38 non-missing values
bib18e97amountozs	Amount child had of tea	Questionnaire: Continuous value Range 0.5 to 10 Mean 2.91 226 non-missing values

Variable	Variable Label	Details
bib18e97frequency	Frequency child had tea	Questionnaire: Categorical value <hr/> 1288 non-missing values <hr/> Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e97timesperday	Times per day child had tea	Questionnaire: Integer value <hr/> Range 1 to 3 Mean 1.06 226 non-missing values
bib18e98amountozs	Amount child had of water	Questionnaire: Continuous value <hr/> Range 0.5 to 10 Mean 3.61 1109 non-missing values
bib18e98frequency	Frequency child had water	Questionnaire: Categorical value <hr/> 1289 non-missing values <hr/> Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e98timesperday	Times per day child had water	Questionnaire: Integer value <hr/> Range 0 to 61 Mean 2.99 1105 non-missing values

Variable	Variable Label	Details
bib18e99amount	Amount child had of cow's milk	Questionnaire: Continuous value Range 0.5 to 10 Mean 5.96 1173 non-missing values
bib18e99brandcode	Brand of child had cow's milk	Questionnaire: Integer value Range 1 to 5 Mean 1.10 1173 non-missing values Coding [b18tabbrandcow1b1]: 1 = Full fat 2 = Semi-skimmed 3 = Skimmed 4 = 1% fat
bib18e99frequency	Frequency child had cow's milk	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabfreq51b1]: 1 = Never 2 = 1-3 time per month 3 = 1 day per week 4 = 2 days per week 5 = 3 days per week 6 = 4 days per week 7 = 5 days per week 8 = 6 days per week 9 = 7 days per week
bib18e99timesperday	Times per day child had cow's milk	Questionnaire: Integer value Range 0 to 9 Mean 2.31 1173 non-missing values
bib18f01wk	Number of hours per day TV on week days	Questionnaire: Integer value Range 0 to 24 Mean 7.87 1259 non-missing values
bib18f01wkend	Number of hours per day TV on weekends	Questionnaire: Integer value Range 0 to 24 Mean 7.98 1245 non-missing values

Variable	Variable Label	Details
bib18f01wkendna	Question F1 (weekend) not applicable	<p>Questionnaire: Categorical value</p> <hr/> <p>45 non-missing values</p> <hr/> <p>Coding [b18tabnalb1]: 1 = Not applicable</p>
bib18f01wkna	Question F1 (week day) not applicable	<p>Questionnaire: Categorical value</p> <hr/> <p>31 non-missing values</p> <hr/> <p>Coding [b18tabnalb1]: 1 = Not applicable</p>
bib18f02a	Number of hours per day mum watched TV on week days before 6pm	<p>Questionnaire: Categorical value</p> <hr/> <p>1290 non-missing values</p> <hr/> <p>Coding [b18tabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day</p>
bib18f02b	Number of hours per day mum watched TV on week days after 6pm	<p>Questionnaire: Categorical value</p> <hr/> <p>1290 non-missing values</p> <hr/> <p>Coding [b18tabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day</p>
bib18f02c	Number of hours per day mum watched TV on weekends before 6pm	<p>Questionnaire: Categorical value</p> <hr/> <p>1289 non-missing values</p> <hr/> <p>Coding [b18tabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day</p>

Variable	Variable Label	Details
bib18f02d	Number of hours per day mum watched TV on weekends after 6pm	Questionnaire: Categorical value <hr/> 1290 non-missing values <hr/> Coding [b18tabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day
bib18f02mumhravday	Avg hours of daily TV viewing by mum	Questionnaire: Continuous value <hr/> Range 0 to 9 Mean 2.90 1290 non-missing values
bib18f02mumhrdaywk	Hours of daily weekday TV viewing by mum	Questionnaire: Continuous value <hr/> Range 0 to 9 Mean 2.92 1290 non-missing values
bib18f02mumhrdayweekend	Hours of daily weekend TV viewing by mum	Questionnaire: Continuous value <hr/> Range 0 to 9 Mean 2.86 1290 non-missing values
bib18f03a	Number of hours/day child watched TV on week days before 6pm	Questionnaire: Categorical value <hr/> 1290 non-missing values <hr/> Coding [b18tabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day

Variable	Variable Label	Details
bib18f03b	Number of hours/day child watched TV on week days after 6pm	Questionnaire: Categorical value <hr/> 1290 non-missing values <hr/> Coding [b18tabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day
bib18f03c	Number of hours/day child watched TV on weekends before 6pm	Questionnaire: Categorical value <hr/> 1289 non-missing values <hr/> Coding [b18tabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day
bib18f03chdhrday	Average hours of daily TV viewing by child	Questionnaire: Continuous value <hr/> Range 0 to 9 Mean 1.26 1260 non-missing values
bib18f03chdhrdaywk	Hours of daily weekday TV viewing by child	Questionnaire: Continuous value <hr/> Range 0 to 9 Mean 1.27 1260 non-missing values
bib18f03chdhrdaywkend	Hours of daily weekend TV viewing by child	Questionnaire: Continuous value <hr/> Range 0 to 9 Mean 1.23 1260 non-missing values

Variable	Variable Label	Details
bib18f03d	Number of hours/day child watched TV on weekends after 6pm	Questionnaire: Categorical value ----- 1290 non-missing values ----- Coding [b18tabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day
bib18g01	In last week, number of times spent walking 10+ minutes	Questionnaire: Integer value ----- Range 1 to 30 Mean 6.38 1072 non-missing values
bib18g01mumwalktot	Total mins mother walked continuously >10 mins	Questionnaire: Integer value ----- Range 0 to 780 Mean 142.79 1290 non-missing values
bib18g01na	Question G1 not applicable	Questionnaire: Categorical value ----- 218 non-missing values ----- Coding [b18tabna1b1]: 1 = Not applicable
bib18g03	In last week, number of times spent doing vigorous gardening	Questionnaire: Integer value ----- Range 0 to 14 Mean 2.04 217 non-missing values
bib18g03na	Question G3 not applicable	Questionnaire: Categorical value ----- 1073 non-missing values ----- Coding [b18tabna1b1]: 1 = Not applicable
bib18g05	In last week, number of times spent doing vigorous physical activity	Questionnaire: Integer value ----- Range 0 to 10 Mean 2.74 170 non-missing values

Variable	Variable Label	Details
bib18g05mumgardtot	Total mins mother did vig. gardening/heavy work continuously >10 mins	Questionnaire: Integer value Range 0 to 779 Mean 20.52 1290 non-missing values
bib18g05mumvigpatot	Total mins mother did vig. activity continuously >10 mins	Questionnaire: Integer value Range 0 to 600 Mean 15.60 1289 non-missing values
bib18g05na	Question G5 not applicable	Questionnaire: Categorical value 1119 non-missing values Coding [b18tabna1b1]: 1 = Not applicable
bib18g07	In last week, number of times spent doing other moderate physical activity	Questionnaire: Integer value Range 0 to 20 Mean 1.67 122 non-missing values
bib18g07mummodtot	Total mins mother did mod. activity continuously >10 mins	Questionnaire: Integer value Range 0 to 240 Mean 6.61 1289 non-missing values
bib18g07na	Question G7 not applicable	Questionnaire: Categorical value 1167 non-missing values Coding [b18tabna1b1]: 1 = Not applicable
bib18g09a	Taking stairs/being active 30+ mins a day is enough to improve health	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabagreement21b1]: 1 = Strongly disagree 2 = Disagree 3 = Neither agree nor disagree 4 = Agree 5 = Agree strongly

Variable	Variable Label	Details
bib18g09b	Half hour brisk walking on most days is enough to improve health	Questionnaire: Categorical value ----- 1289 non-missing values ----- Coding [b18tabagreement21b1]: 1 = Strongly disagree 2 = Disagree 3 = Neither agree nor disagree 4 = Agree 5 = Agree strongly
bib18g09c	Essential to do vigorous exercise for 20+ mins 3 times/week to improve health	Questionnaire: Categorical value ----- 1289 non-missing values ----- Coding [b18tabagreement21b1]: 1 = Strongly disagree 2 = Disagree 3 = Neither agree nor disagree 4 = Agree 5 = Agree strongly
bib18g09d	Exercise doesn't have to be done all at once, 10 minute blocks are OK	Questionnaire: Categorical value ----- 1289 non-missing values ----- Coding [b18tabagreement21b1]: 1 = Strongly disagree 2 = Disagree 3 = Neither agree nor disagree 4 = Agree 5 = Agree strongly
bib18g09e	Moderate exercise that increases your heart rate slightly can improve health	Questionnaire: Categorical value ----- 1289 non-missing values ----- Coding [b18tabagreement21b1]: 1 = Strongly disagree 2 = Disagree 3 = Neither agree nor disagree 4 = Agree 5 = Agree strongly
bib18gmumactdurtot	Total mins mother did walking/mod/vig activity continuously >10 mins	Questionnaire: Integer value ----- Range 0 to 1710 Mean 180.39 1289 non-missing values

Variable	Variable Label	Details
bib18gmumactfreqtot	Total sessions mother did walking/mod/vig activity continuously >10 mins	Questionnaire: Integer value Range 0 to 40 Mean 5.82 1289 non-missing values
bib18gmumsuffactvol	Sufficiently physically active group based on total activity time only	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabsuffactvol1b1]: 0 = Not active at all 1 = Active for 1 to 149 minutes 2 = Active for 150+ minutes
bib18gmumsuffactvolfreq	Sufficiently physically active group based on total activity time and frequency	Questionnaire: Categorical value 1289 non-missing values Coding [b18tabsuffactvolfreq1b1]: 0 = Not active at all 1 = Active for 1+ minutes less than 5 times per week 2 = Active for 150+ minutes more than 5 times per week
bib18h01a	Fruit	Questionnaire: Categorical value 1284 non-missing values Coding [b18tabeatfreq1b1]: 1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day

Variable	Variable Label	Details
bib18h01b	Salad	<p>Questionnaire: Categorical value</p> <hr/> <p>1285 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>
bib18h01c	Vegetables	<p>Questionnaire: Categorical value</p> <hr/> <p>1285 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>
bib18h01d	Boiled, mashed or jacket potatoes	<p>Questionnaire: Categorical value</p> <hr/> <p>1285 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>

Variable	Variable Label	Details
bib18h01e	Fried or roasted potatoes	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>
bib18h01f	Oven-cooked chips	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>
bib18h01g	Fried chips	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>

Variable	Variable Label	Details
bib18h01h	Fried rice/biryani	<p>Questionnaire: Categorical value</p> <hr/> <p>1279 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>
bib18h01i	Chapattis/parathas/puris/nan with butter	<p>Questionnaire: Categorical value</p> <hr/> <p>1280 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>
bib18h01j	Boiled rice	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>

Variable	Variable Label	Details
bib18h01k	Chapattis/parathas/puris/nan without butter	<p>Questionnaire: Categorical value</p> <hr/> <p>1285 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>
bib18h02a	Biscuits	<p>Questionnaire: Categorical value</p> <hr/> <p>1286 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>
bib18h02b	Cakes/pastries	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>

Variable	Variable Label	Details
bib18h02c	Crisps/other savoury snacks	<p>Questionnaire: Categorical value</p> <hr/> <p>1285 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>
bib18h02d	Chevda,Bombay mix etc	<p>Questionnaire: Categorical value</p> <hr/> <p>1284 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>
bib18h02e	Indian sweets	<p>Questionnaire: Categorical value</p> <hr/> <p>1285 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>

Variable	Variable Label	Details
bib18h02f	Samosas/pakorras/spring rolls	<p>Questionnaire: Categorical value</p> <hr/> <p>1285 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>
bib18h02g	Sausage rolls/pork pies/pasties	<p>Questionnaire: Categorical value</p> <hr/> <p>1285 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>
bib18h03a	Natural fruit juice	<p>Questionnaire: Categorical value</p> <hr/> <p>1284 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>

Variable	Variable Label	Details
bib18h03b	Mango juice	<p>Questionnaire: Categorical value</p> <hr/> <p>1284 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>
bib18h03c	Fruit drinks/squash - sugar-free	<p>Questionnaire: Categorical value</p> <hr/> <p>1285 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>
bib18h03d	Fruit drinks/squash - contains sugar	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>

Variable	Variable Label	Details
bib18h03e	Coke/Pepsi/Fanta	<p>Questionnaire: Categorical value</p> <hr/> <p>1284 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>
bib18h03f	Diet Coke/diet Pepsi/diet Fanta	<p>Questionnaire: Categorical value</p> <hr/> <p>1285 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>
bib18h04a	Meat pies/pasties, vegetarian pies	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day</p>

Variable	Variable Label	Details
bib18h04b	Pizza/quiche/flan	<p>Questionnaire: Categorical value</p> <hr/> <p>1284 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>
bib18h04c	Chip-shop meal	<p>Questionnaire: Categorical value</p> <hr/> <p>1280 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>
bib18h04d	Beef/veggie burgers	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>

Variable	Variable Label	Details
bib18h04e	Fried chicken take-away	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>
bib18h04f	Indian take-away	<p>Questionnaire: Categorical value</p> <hr/> <p>1284 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>
bib18h04g	Donner kebab	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>

Variable	Variable Label	Details
bib18h04h	Chinese take-away	<p>Questionnaire: Categorical value</p> <hr/> <p>1284 non-missing values</p> <hr/> <p>Coding [b18tabeatfreq1b1]:</p> <p>1 = Rarely or never</p> <p>2 = <1 per week</p> <p>3 = Once per week</p> <p>4 = 2-3 times per week</p> <p>5 = 4-6 times per week</p> <p>6 = 1-2 times per day</p> <p>7 = 3-4 times per day</p> <p>8 = 5+ times per day</p>
bib18i01	Feeling perfectly well and in good health	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabhealth11b1]:</p> <p>1 = Better than usual</p> <p>2 = Same as usual</p> <p>3 = Worse than usual</p> <p>4 = Much worse than usual</p>
bib18i02	Feeling in need of a good tonic	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]:</p> <p>1 = Not at all</p> <p>2 = No more than usual</p> <p>3 = Rather more than usual</p> <p>4 = Much more than usual</p>
bib18i03	Feeling run down and out of sort	<p>Questionnaire: Categorical value</p> <hr/> <p>1277 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]:</p> <p>1 = Not at all</p> <p>2 = No more than usual</p> <p>3 = Rather more than usual</p> <p>4 = Much more than usual</p>

Variable	Variable Label	Details
bib18i04	Felt ill	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>
bib18i05	Getting pains in head	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>
bib18i06	Feeling tightness/pains in head	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>
bib18i07	Having hot/cold spells	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>
bib18i08	Lost much sleep over worry	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>

Variable	Variable Label	Details
bib18i09	Difficulty staying asleep	<p>Questionnaire: Categorical value</p> <hr/> <p>1279 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>
bib18i10	Felt constantly under strain	<p>Questionnaire: Categorical value</p> <hr/> <p>1277 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>
bib18i11	Getting edgy/bad tempered	<p>Questionnaire: Categorical value</p> <hr/> <p>1279 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>
bib18i12	Getting scared/panicky	<p>Questionnaire: Categorical value</p> <hr/> <p>1280 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>
bib18i13	Found everything getting on top of you	<p>Questionnaire: Categorical value</p> <hr/> <p>1280 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>

Variable	Variable Label	Details
bib18i14	Feeling nervous/strung-up	Questionnaire: Categorical value <hr/> 1281 non-missing values <hr/> Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual
bib18i15	Managing to keep yourself busy/occupied	Questionnaire: Categorical value <hr/> 1280 non-missing values <hr/> Coding [b18tabhealth31b1]: 1 = More so than usual 2 = Same as usual 3 = Rather less than usual 4 = Much less than usual
bib18i16	Taking longer over things you do	Questionnaire: Categorical value <hr/> 1274 non-missing values <hr/> Coding [b18tabhealth41b1]: 1 = Quicker than usual 2 = Same as usual 3 = Longer than usual 4 = Much longer than usual
bib18i17	Felt you were doing things well	Questionnaire: Categorical value <hr/> 1277 non-missing values <hr/> Coding [b18tabhealth51b1]: 1 = Better than usual 2 = Same as usual 3 = Less well than usual 4 = Much less well than usual
bib18i18	Been satisfied with the way you've carried out tasks	Questionnaire: Categorical value <hr/> 1279 non-missing values <hr/> Coding [b18tabhealth61b1]: 1 = More satisfied 2 = About the same as usual 3 = Less satisfied than usual 4 = Much less satisfied than usual

Variable	Variable Label	Details
bib18i19	Felt you're playing a useful part in things	<p>Questionnaire: Categorical value</p> <hr/> <p>1278 non-missing values</p> <hr/> <p>Coding [b18tabhealth31b1]: 1 = More so than usual 2 = Same as usual 3 = Rather less than usual 4 = Much less than usual</p>
bib18i20	Capable fo making decisions about things	<p>Questionnaire: Categorical value</p> <hr/> <p>1279 non-missing values</p> <hr/> <p>Coding [b18tabhealth31b1]: 1 = More so than usual 2 = Same as usual 3 = Rather less than usual 4 = Much less than usual</p>
bib18i21	Able to enjoy normal day-to-day activities	<p>Questionnaire: Categorical value</p> <hr/> <p>1279 non-missing values</p> <hr/> <p>Coding [b18tabhealth31b1]: 1 = More so than usual 2 = Same as usual 3 = Rather less than usual 4 = Much less than usual</p>
bib18i22	Thinking of yourself as worthless	<p>Questionnaire: Categorical value</p> <hr/> <p>1280 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>
bib18i23	Felt life is hopeless	<p>Questionnaire: Categorical value</p> <hr/> <p>1280 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>

Variable	Variable Label	Details
bib18i24	Felt life isn't worth living	<p>Questionnaire: Categorical value</p> <hr/> <p>1279 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>
bib18i25	Thought you might make away with yourself	<p>Questionnaire: Categorical value</p> <hr/> <p>1279 non-missing values</p> <hr/> <p>Coding [b18tabhealth71b1]: 1 = Definitely not 2 = I don't think so 3 = Has crossed my mind 4 = Definitely have</p>
bib18i26	Found you couldn't do anything because nerves were bad	<p>Questionnaire: Categorical value</p> <hr/> <p>1280 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>
bib18i27	Found yourself wishing you were dead	<p>Questionnaire: Categorical value</p> <hr/> <p>1279 non-missing values</p> <hr/> <p>Coding [b18tabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual</p>
bib18i28	Found the idea of taking your own life coming inot your mind	<p>Questionnaire: Categorical value</p> <hr/> <p>1280 non-missing values</p> <hr/> <p>Coding [b18tabhealth71b1]: 1 = Definitely not 2 = I don't think so 3 = Has crossed my mind 4 = Definitely have</p>

Variable	Variable Label	Details
bib18j01	Bananas	<p>Questionnaire: Categorical value</p> <hr/> <p>1284 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>
bib18j02	Apples	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>
bib18j03	Melon	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabfreq71b1]: 1 = 0 2 = 0.5 3 = 1 4 = More than 1</p>
bib18j04	Grapes	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>
bib18j05	Oranges	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>

Variable	Variable Label	Details
bib18j06	Pears	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>
bib18j07	Peaches	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>
bib18j08	Canned Fruit in syrup	<p>Questionnaire: Categorical value</p> <hr/> <p>1280 non-missing values</p> <hr/> <p>Coding [b18tabfreq81b1]: 1 = 0 2 = 1 3 = 2-5 4 = More than 5</p>
bib18j09	Canned Fruit in juice/water	<p>Questionnaire: Categorical value</p> <hr/> <p>1277 non-missing values</p> <hr/> <p>Coding [b18tabfreq81b1]: 1 = 0 2 = 1 3 = 2-5 4 = More than 5</p>
bib18j10	Plums	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>

Variable	Variable Label	Details
bib18j11	Kiwis	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>
bib18j12	Pineapple	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabfreq71b1]: 1 = 0 2 = 0.5 3 = 1 4 = More than 1</p>
bib18j13	Berries or cherries	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabfreq91b1]: 1 = 0 2 = 1 3 = 2 4 = More than 2</p>
bib18j14	Grapefruit	<p>Questionnaire: Categorical value</p> <hr/> <p>1278 non-missing values</p> <hr/> <p>Coding [b18tabfreq101b1]: 1 = 0 2 = 0.5 3 = 1 to 3 4 = More than 3</p>
bib18j15	Fruit salad	<p>Questionnaire: Categorical value</p> <hr/> <p>1279 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>

Variable	Variable Label	Details
bib18j16	Dried fruit	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabfreq91b1]: 1 = 0 2 = 1 3 = 2 4 = More than 2</p>
bib18j17	Carrots	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>
bib18j18	Celery	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>
bib18j19	Greens/Spinach	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabfreq91b1]: 1 = 0 2 = 1 3 = 2 4 = More than 2</p>
bib18j20	Lettuce	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabfreq91b1]: 1 = 0 2 = 1 3 = 2 4 = More than 2</p>

Variable	Variable Label	Details
bib18j21	Sweetcorn	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabfreq91b1]: 1 = 0 2 = 1 3 = 2 4 = More than 2</p>
bib18j22	Peas	<p>Questionnaire: Categorical value</p> <hr/> <p>1280 non-missing values</p> <hr/> <p>Coding [b18tabfreq91b1]: 1 = 0 2 = 1 3 = 2 4 = More than 2</p>
bib18j23	Tomatoes (Fresh, Individual)	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>
bib18j24	Tomatoes (Can, medium can)	<p>Questionnaire: Categorical value</p> <hr/> <p>1279 non-missing values</p> <hr/> <p>Coding [b18tabfreq81b1]: 1 = 0 2 = 1 3 = 2-5 4 = More than 5</p>
bib18j25	Broccoli	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>

Variable	Variable Label	Details
bib18j26	Green beans	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabfreq91b1]: 1 = 0 2 = 1 3 = 2 4 = More than 2</p>
bib18j27	Cabbage	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabfreq71b1]: 1 = 0 2 = 0.5 3 = 1 4 = More than 1</p>
bib18j28	Other vegetables	<p>Questionnaire: Categorical value</p> <hr/> <p>1280 non-missing values</p> <hr/> <p>Coding [b18tabfreq71b1]: 1 = 0 2 = 0.5 3 = 1 4 = More than 1</p>
bib18j29	Crisps, tortilla chips	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>
bib18j30	Salted nuts	<p>Questionnaire: Categorical value</p> <hr/> <p>1283 non-missing values</p> <hr/> <p>Coding [b18tabfreq131b1]: 1 = 0 2 = 0.5 to 3 3 = 4 to 10 4 = More than 10</p>

Variable	Variable Label	Details
bib18j31	Biscuits	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabfreq111b1]: 1 = 0 2 = 1 to 15 3 = 16 to 30 4 = More than 30</p>
bib18j32	Sweets	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabfreq81b1]: 1 = 0 2 = 1 3 = 2-5 4 = More than 5</p>
bib18j33	Chocolate	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabfreq81b1]: 1 = 0 2 = 1 3 = 2-5 4 = More than 5</p>
bib18j34	Cakes, muffins	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabfreq61b1]: 1 = 0 2 = 1 to 3 3 = 4 to 10 4 = More than 10</p>
bib18j35	Ice Cream	<p>Questionnaire: Categorical value</p> <hr/> <p>1282 non-missing values</p> <hr/> <p>Coding [b18tabfreq91b1]: 1 = 0 2 = 1 3 = 2 4 = More than 2</p>

Variable	Variable Label	Details
bib18j36	Fizzy Drinks, non-diet	<p>Questionnaire: Categorical value</p> <hr/> <p>1279 non-missing values</p> <hr/> <p>Coding [b18tabfreq121b1]: 1 = 0 2 = 1 to 5 3 = 6 to 10 4 = More than 10</p>
bib18j37	Fizzy Drinks, diet	<p>Questionnaire: Categorical value</p> <hr/> <p>1280 non-missing values</p> <hr/> <p>Coding [b18tabfreq121b1]: 1 = 0 2 = 1 to 5 3 = 6 to 10 4 = More than 10</p>
bib18j38	Sports Drinks	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabfreq121b1]: 1 = 0 2 = 1 to 5 3 = 6 to 10 4 = More than 10</p>
bib18j39	Fruit Drinks	<p>Questionnaire: Categorical value</p> <hr/> <p>1281 non-missing values</p> <hr/> <p>Coding [b18tabfreq121b1]: 1 = 0 2 = 1 to 5 3 = 6 to 10 4 = More than 10</p>
bib18language	Language questionnaire administered in	<p>Questionnaire: Categorical value</p> <hr/> <p>1288 non-missing values</p> <hr/> <p>Coding [b18tablang1b1]: 1 = English 2 = Mirpuri 3 = Urdu 4 = Other</p>

Variable	Variable Label	Details
date_b18tab	DateBiB1000 18m questionnaire	<p><i>[Hidden]</i> Administrative: Date value</p> <hr/> <p>Data capture date for sourceBiB1000 18m questionnaire</p> <hr/> <p>Range 2010-03-04 to 2011-04-16 1293 non-missing values</p>
day_b18tab	BiB dayBiB1000 18m questionnaire	<p><i>[Hidden]</i> Administrative: Integer value</p> <hr/> <p>Data capture date in days from BiB start for sourceBiB1000 18m questionnaire</p> <hr/> <p>Range 1091 to 1499 Mean 1298.94 1293 non-missing values</p>
dayc_b18tab	Child cohort daysBiB1000 18m questionnaire	<p><i>[Hidden]</i> Administrative: Integer value</p> <hr/> <p>Child days from cohort start (Birth) to data capture date for sourceBiB1000 18m questionnaire</p> <hr/> <p>Range 463 to 697 Mean 568.95 1293 non-missing values</p>

BiB1000 18m: Other foods and drinks

Database ID for source: bee104

This source is measured at the **child** level. It contains data from 134 children with more than one observation per child. There are 5 variables with a total of 159 observations.

Description

BiB1000 18m: Other foods and drinks

Variable	Variable Label	Details
bib18e104amount	Amount of other food consumed	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 0 to 500 Mean 7.54 158 non-missing values 134 children with between 1 and 4 observations each</p>
bib18e104description	Description of other food	<p>Questionnaire: Text value</p> <hr/> <p>36 unique values 159 non-missing values 134 children with between 1 and 4 observations each</p>
bib18e104frequency	Frequency consume other food	<p>Questionnaire: Categorical value</p> <hr/> <p>158 non-missing values 134 children with between 1 and 4 observations each</p> <hr/> <p>Coding [bee104foodfreq11b1]: 1 = Never 2 = 1-3 per month 3 = One day a week 4 = Two days a week 5 = Three days a week 6 = Four days a week 7 = Five days a week 8 = Six days a week 9 = Seven days a week</p>
bib18e104timesperday	Number of times per day consumes other food	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 4 Mean 1.11 157 non-missing values 134 children with between 1 and 4 observations each</p>

Variable	Variable Label	Details
bib18e104weight	Weight of other food consumed	Questionnaire: Continuous value Range 0 to 600 Mean 20.69 100 non-missing values 134 children with between 1 and 3 observations each

BiB1000 18 month child nutrients intake

Database ID for source: bib18n

This source is measured at the **child** level. It contains data from 1257 children with one observation per child. There are 59 variables with a total of 1257 observations. 3 variables are sensitive or potentially disclosive and will be hidden from standard data packages. These are marked as *Hidden*, below.

Description

BiB 1000 18 month follow-up child nutrients intake. Derived from Food Frequency Questionnaire from lookup tables of composition of foods. Singletons only (twins and triplets excluded).

Variable	Variable Label	Details
agecm_bib18n	Child age (months): BiB1000 18 month child nutrients intake	Administrative: Integer value ----- Child age in months at data capture date for source: BiB1000 18 month child nutrients intake ----- Range 15 to 22 Mean 18.22 1257 non-missing values
agecy_bib18n	Child age (years): BiB1000 18 month child nutrients intake	Administrative: Integer value ----- Child age in years at data capture date for source: BiB1000 18 month child nutrients intake ----- Range 1 to 1 Mean 1.00 1257 non-missing values
bib18nbreastmilk_grams	Weight of breast milk (grams)	Derived: Continuous value ----- Weight of breast milk (grams) ----- Range 0 to 1500 Mean 13.79 1257 non-missing values
bib18nbreastmilk_kcal	Energy intake from breast milk	Derived: Continuous value ----- Energy intake from breast milk ----- Range 0 to 1035 Mean 9.52 1257 non-missing values

Variable	Variable Label	Details
bib18nbreastmilk_kj	Total energy intake from breast milk (kJ)	<p>Derived: Continuous value</p> <hr/> <p>Total energy intake from breast milk (kJ)</p> <hr/> <p>Range 0 to 4333.34 Mean 39.85 1257 non-missing values</p>
bib18nbreastmilk_pct	% energy intake from breast milk	<p>Derived: Continuous value</p> <hr/> <p>% energy intake from breast milk</p> <hr/> <p>Range 0 to 64.34 Mean 0.99 1257 non-missing values</p>
bib18ncalcium	Calcium (mg/day)	<p>Derived: Continuous value</p> <hr/> <p>Calcium (mg/day)</p> <hr/> <p>Range 53.21 to 2934.69 Mean 768.38 1257 non-missing values</p>
bib18ncarbohydrate	Carbohydrate (g/day)	<p>Derived: Continuous value</p> <hr/> <p>Carbohydrate (g/day)</p> <hr/> <p>Range 25.96 to 422.87 Mean 138.18 1257 non-missing values</p>
bib18nchloride	Chloride (mg/day)	<p>Derived: Continuous value</p> <hr/> <p>Chloride (mg/day)</p> <hr/> <p>Range 117.82 to 5350.64 Mean 1548.01 1257 non-missing values</p>
bib18ncholest	Cholesterol (g/day)	<p>Derived: Continuous value</p> <hr/> <p>Cholesterol (g/day)</p> <hr/> <p>Range 0 to 565.22 Mean 151.36 1257 non-missing values</p>

Variable	Variable Label	Details
bib18ncopper	Copper (mg/day)	Derived: Continuous value Copper (mg/day) Range 0.05 to 6.2 Mean 0.54 1257 non-missing values
bib18ndrink_grams	Weight of all drink (grams)	Derived: Continuous value Weight of all drink (grams) Range 0 to 7785.36 Mean 539.42 1257 non-missing values
bib18ndrink_kcal	Energy intake from drink (kcal)	Derived: Continuous value Energy intake from drink (kcal) Range 0 to 960.4 Mean 61.69 1257 non-missing values
bib18ndrink_kj	Total energy intake from drink (kJ)	Derived: Continuous value Total energy intake from drink (kJ) Range 0 to 4021 Mean 258.29 1257 non-missing values
bib18ndrink_pct	% energy intake from drink	Derived: Continuous value % energy intake from drink Range 0 to 43 Mean 5.47 1257 non-missing values
bib18nenergyfromcho	Energy from carbohydrate (kcal)	Derived: Continuous value Energy from carbohydrate (kcal) Range 97.42 to 1585.68 Mean 518.14 1257 non-missing values

Variable	Variable Label	Details
bib18nenergyfromfat	Energy from fat (kcal)	Derived: Continuous value <hr/> Energy from fat (kcal) <hr/> Range 34.5 to 1384.37 Mean 388.46 1257 non-missing values
bib18nenergyfromprotein	Energy from protein (kcal)	Derived: Continuous value <hr/> Energy from protein (kcal) <hr/> Range 16.03 to 517.05 Mean 151.51 1257 non-missing values
bib18nenglyst	Englyst fibre (g/day)	Derived: Continuous value <hr/> Englyst fibre (g/day) <hr/> Range 0 to 27.91 Mean 7.46 1257 non-missing values
bib18nfat	Fat (g/day)	Derived: Continuous value <hr/> Fat (g/day) <hr/> Range 3.81 to 153.81 Mean 43.17 1257 non-missing values
bib18nfolate	Folate (microg/day)	Derived: Continuous value <hr/> Folate (microg/day) <hr/> Range 17.2 to 490.04 Mean 128.06 1257 non-missing values
bib18nfood_grams	Weight of all food (grams)	Derived: Continuous value <hr/> Weight of all food (grams) <hr/> Range 0 to 1972.98 Mean 477.81 1257 non-missing values

Variable	Variable Label	Details
bib18nfood_kcal	Total energy intake from food (kcal)	Derived: Continuous value Total energy intake from food (kcal) Range 0 to 2181.73 Mean 689.97 1257 non-missing values
bib18nfood_kj	Total energy intake from food (kJ)	Derived: Continuous value Total energy intake from food (kJ) Range 0 to 9134.47 Mean 2888.77 1257 non-missing values
bib18nfood_pct	% energy intake from food	Derived: Continuous value % energy intake from food Range 0 to 100 Mean 65.20 1257 non-missing values
bib18nformulamilk_grams	Weight of formula milk (grams)	Derived: Continuous value Weight of formula milk (grams) Range 0 to 1241.94 Mean 71.80 1257 non-missing values
bib18nformulamilk_kcal	Energy intake from formula milk (kcal)	Derived: Continuous value Energy intake from formula milk (kcal) Range 0 to 832.1 Mean 48.45 1257 non-missing values
bib18nformulamilk_kj	Total energy intake from formula milk (kJ)	Derived: Continuous value Total energy intake from formula milk (kJ) Range 0 to 3483.84 Mean 202.84 1257 non-missing values

Variable	Variable Label	Details
bib18nformulamilk_pct	% energy intake from formula milk	Derived: Continuous value % energy intake from formula milk Range 0 to 100 Mean 4.65 1257 non-missing values
bib18niron	Iron (mg/day)	Derived: Continuous value Iron (mg/day) Range 1.09 to 35.85 Mean 5.12 1257 non-missing values
bib18nkcal	Total energy intake (kcal/day)	Derived: Continuous value Total energy intake (kcal/day) Range 165.13 to 3098.25 Mean 1059.67 1257 non-missing values
bib18nkj	Total energy intake (kJ/day)	Derived: Continuous value Total energy intake (kJ/day) Range 698.99 to 12985.3 Mean 4454.47 1257 non-missing values
bib18nmagnesium	Magnesium (mg/day)	Derived: Continuous value Magnesium (mg/day) Range 24.48 to 395.27 Mean 154.80 1257 non-missing values
bib18nniacin	Niacin (mg/day)	Derived: Continuous value Niacin (mg/day) Range 1.2 to 29.78 Mean 6.67 1257 non-missing values

Variable	Variable Label	Details
bib18nothemilk_grams	Weight of other milk (grams)	Derived: Continuous value Weight of other milk (grams) Range 0 to 2395.17 Mean 389.74 1257 non-missing values
bib18nothemilk_kcal	Energy from other milk (kcal)	Derived: Continuous value Energy from other milk (kcal) Range 0 to 1249.04 Mean 250.04 1257 non-missing values
bib18nothemilk_kj	Total energy intake from other milk (kJ)	Derived: Continuous value Total energy intake from other milk (kJ) Range 0 to 5229.48 Mean 1046.85 1257 non-missing values
bib18nothemilk_pct	% energy from other milk	Derived: Continuous value % energy from other milk Range 0 to 82.5 Mean 23.69 1257 non-missing values
bib18nphosphorus	Phosphorus (mg/day)	Derived: Continuous value Phosphorus (mg/day) Range 83.84 to 2371.4 Mean 810.06 1257 non-missing values
bib18npotassium	Potassium (mg/day)	Derived: Continuous value Potassium (mg/day) Range 243.81 to 5016.25 Mean 1787.55 1257 non-missing values

Variable	Variable Label	Details
bib18nprotein	Protein (g/day)	Derived: Continuous value Protein (g/day) Range 4 to 129.24 Mean 37.89 1257 non-missing values
bib18nretinol	Retinol (microg/day)	Derived: Continuous value Retinol (microg/day) Range 9.01 to 1495.91 Mean 395.75 1257 non-missing values
bib18nsodium	Sodium (mg/day)	Derived: Continuous value Sodium (mg/day) Range 76.63 to 3680.96 Mean 1011.48 1257 non-missing values
bib18nstarch	Starch (g/day)	Derived: Continuous value Starch (g/day) Range 6.3 to 300.78 Mean 55.17 1257 non-missing values
bib18nsugars	Total sugars (g/day)	Derived: Continuous value Total sugars (g/day) Range 1.58 to 331.74 Mean 82.62 1257 non-missing values
bib18ntotal_kcal	Total energy intake (kcal)	Derived: Continuous value Total energy intake (kcal) Range 165.13 to 3098.25 Mean 1059.67 1257 non-missing values

Variable	Variable Label	Details
bib18ntotal_kj	Total energy intake (kJ)	Derived: Continuous value Total energy intake (kJ) Range 691.366 to 12971.8 Mean 4436.61 1257 non-missing values
bib18nvtb1	Vitamin B1 (Thiamin)(mg/day)	Derived: Continuous value Vitamin B1 (Thiamin)(mg/day) Range 0.16 to 3.71 Mean 0.80 1257 non-missing values
bib18nvtb12	Vitamin B12 (microg/day)	Derived: Continuous value Vitamin B12 (microg/day) Range 0.11 to 9.67 Mean 2.76 1257 non-missing values
bib18nvtb2	Vitamin B2 (Riboflavin)(mg/day)	Derived: Continuous value Vitamin B2 (Riboflavin)(mg/day) Range 0.16 to 4.35 Mean 1.24 1257 non-missing values
bib18nvtb6	Vitamin B6 (mg/day)	Derived: Continuous value Vitamin B6 (mg/day) Range 0.17 to 3.54 Mean 1.01 1257 non-missing values
bib18nvtc	Vitamin C (mg/day)	Derived: Continuous value Vitamin C (mg/day) Range 2.07 to 731.83 Mean 101.63 1257 non-missing values

Variable	Variable Label	Details
bib18nvitd	Vitamin D (microg/day)	<p>Derived: Continuous value</p> <hr/> <p>Vitamin D (microg/day)</p> <hr/> <p>Range 0.06 to 37.06 Mean 2.13 1257 non-missing values</p>
bib18nvite	Vitamin E (alpha-tocopherol)(mg/day)	<p>Derived: Continuous value</p> <hr/> <p>Vitamin E (alpha-tocopherol)(mg/day)</p> <hr/> <p>Range 0.6 to 18.99 Mean 4.56 1257 non-missing values</p>
bib18nwater	Water (g/day)	<p>Derived: Continuous value</p> <hr/> <p>Water (g/day)</p> <hr/> <p>Range 39.91 to 8168.75 Mean 1232.21 1257 non-missing values</p>
bib18nzinc	Zinc (mg/day)	<p>Derived: Continuous value</p> <hr/> <p>Zinc (mg/day)</p> <hr/> <p>Range 0.86 to 21.24 Mean 4.81 1257 non-missing values</p>
date_bib18n	Date: BiB1000 18 month child nutrients intake	<p><i>[Hidden]</i> Administrative: Date value</p> <hr/> <p>Data capture date for source: BiB1000 18 month child nutrients intake</p> <hr/> <p>Range 2010-03-04 to 2011-04-16 1257 non-missing values</p>
day_bib18n	BiB day: BiB1000 18 month child nutrients intake	<p><i>[Hidden]</i> Administrative: Integer value</p> <hr/> <p>Data capture date in days from BiB start for source: BiB1000 18 month child nutrients intake</p> <hr/> <p>Range 1091 to 1499 Mean 1298.71 1257 non-missing values</p>

Variable	Variable Label	Details
dayc_bib18n	Child cohort days: BiB1000 18 month child nutrients intake	<p><i>[Hidden]</i> Administrative: Integer value</p> <hr/> <p>Child days from cohort start (Birth) to data capture date for source: BiB1000 18 month child nutrients intake</p> <hr/> <p>Range 463 to 697 Mean 568.58 1257 non-missing values</p>