

# Born in Bradford Data Dictionary

BiB 1000 6 month questionnaire

## Contents

<b>Background</b>	<b>1</b>
Born in Bradford . . . . .	1
<b>Study identifiers</b>	<b>2</b>
<b>BiB 1000 Questionnaire: bib6_b4</b>	<b>3</b>
<b>BiB 1000 Questionnaire: bib6_e3</b>	<b>4</b>
<b>BiB 1000 Questionnaire: bib6_maintable</b>	<b>5</b>

## Background

This document is a data dictionary for BiB 1000 6 month questionnaire. It describes 425 variables from 3 sources. This document was built from Born in Bradford database version RELEASE-JAN2018.

## Born in Bradford

Born in Bradford is a longitudinal multi-ethnic birth cohort study aiming to examine the impact of environmental, psychological and genetic factors on maternal and child health and wellbeing. Bradford is a city in the North of England with high levels of socio-economic deprivation and ethnic diversity. Women were recruited at the Bradford Royal Infirmary at 26-28 weeks gestation. For those consenting, a baseline questionnaire was completed. The full BiB cohort recruited 12,453 women and 3353 of their partners across 13,776 pregnancies and 13,858 children between 2007 and 2010. The cohort is broadly characteristic of the city's maternal population. Mean age of the mothers at study recruitment was 27 years old. Researchers are looking at the links between the circumstances of a child's birth, the context in which they grow up, their health and well-being and their educational progress. Ethical approval for the data collection was granted by Bradford Research Ethics Committee (Ref 07/H1302/112).

## Study identifiers

Study identifiers are standardised across Born in Bradford data sources to enable linking of data from different sources.

Variable	Variable Label	Details
<b>ChildID</b>	BiB Child ID	Unique ID assigned to each child at birth. Where birth outcome is unknown for a given pregnancy, ChildID will be blank and there is no child recruited to the study from that pregnancy. Use MotherID with ChildID to link siblings together. Note that twins have separate ChildIDs but the same PregnancyID.
<b>FatherID</b>	BiB Father ID	Unique ID assigned to partners post-recruitment. Use FatherID with PregnancyID to link fathers across pregnancies. Where FatherID matches across two PregnancyIDs, but those PregnancyIDs are associated with different MotherIDs, this is a father with two separate pregnancies in the cohort with different mothers. Likewise, where MotherID matches across two PregnancyIDs, but those PregnancyIDs are associated with different FatherIDs, this is a mother with two separate pregnancies in the cohort with different fathers.
<b>MotherID</b>	BiB Mother ID	Unique ID assigned to each mother post-recruitment. MotherID should be used when looking for pregnancies or children associated with the same mother. Data collected at pregnancy level will duplicate for MotherIDs that are in the study for more than one pregnancy.
<b>PregnancyID</b>	BiB Pregnancy ID	Unique ID assigned to each mother at recruitment. It is named PregnancyID because a mother can enrol for more than one pregnancy. If a mother returns to enrol for a second or third pregnancy, she is assigned a new PregnancyID. Children and partners from that pregnancy can be linked to the mother by the PregnancyID

## BiB 1000 Questionnaire: bib6\_b4

Database ID for source: b6mqb4

This source is measured at the **child** level. It contains data from 249 children with more than one observation per child. There are 1 variables with a total of 274 observations.

### Description

BiB 1000 Questionnaire: bib6\_b4

Variable	Variable Label	Details
<b>bib6b4diagnosis</b>	Diagnosis given	Questionnaire: Text value 136 unique values 274 non-missing values 249 children with between 1 and 3 observations each

## BiB 1000 Questionnaire: bib6\_e3

Database ID for source: b6mqe3

This source is measured at the **child** level. It contains data from 1297 children with more than one observation per child. There are 2 variables with a total of 4853 observations.

### Description

BiB 1000 Questionnaire: bib6\_e3

Variable	Variable Label	Details
<b>bib6e3age</b>	Age of relation	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 90  Mean 22.42  2150 non-missing values  1297 children with between 1 and 11 observations each</p>
<b>bib6e3relationship</b>	Relationship to mother	<p>Questionnaire: Categorical value</p> <hr/> <p>4853 non-missing values  1297 children with between 1 and 14 observations each</p> <hr/> <p>Coding [b6mqe3re11b1]:  1 = Your husband/partner  2 = Your male children  3 = Your female children  4 = Your mother  5 = Your father  6 = Partner's mother  7 = Partner's father  8 = Your brother  9 = Your sister  10 = Partner's brother  11 = Partner's sister  12 = Your grandmother  13 = Your grandfather  14 = Partner's grandmother  15 = Partner's grandfather  16 = Other adult male relative (aged 16+)  17 = Other adult female relative (aged 16+)  18 = Adult male non-relative  19 = Adult female non-relative  20 = Other male children  21 = Other female children</p>

## BiB 1000 Questionnaire: bib6\_maintable

Database ID for source: b6mtab

This source is measured at the **child** level. It contains data from 1336 children with one observation per child. There are 422 variables with a total of 1336 observations. 3 variables are sensitive or potentially disclosive and will be hidden from standard data packages. These are marked as *Hidden*, below.

### Description

BiB 1000 Questionnaire: bib6\_maintable

Variable	Variable Label	Details
<b>agecm_b6mtab</b>	Child age (months): BiB 1000 Questionnaire: bib6_maintable	Administrative: Integer value <hr/> Child age in months at data capture date for source: BiB 1000 Questionnaire: bib6_maintable <hr/> Range 4 to 9 Mean 6.16 1336 non-missing values
<b>agecy_b6mtab</b>	Child age (years): BiB 1000 Questionnaire: bib6_maintable	Administrative: Integer value <hr/> Child age in years at data capture date for source: BiB 1000 Questionnaire: bib6_maintable <hr/> Range 0 to 0 Mean 0.00 1336 non-missing values
<b>agemm_b6mtab</b>	Mother age (months): BiB 1000 Questionnaire: bib6_maintable	Administrative: Integer value <hr/> Mother age in months at data capture date for source: BiB 1000 Questionnaire: bib6_maintable <hr/> Range 193 to 600 Mean 345.19 1336 non-missing values
<b>agemy_b6mtab</b>	Mother age (years): BiB 1000 Questionnaire: bib6_maintable	Administrative: Integer value <hr/> Mother age in years at data capture date for source: BiB 1000 Questionnaire: bib6_maintable <hr/> Range 16 to 50 Mean 28.30 1336 non-missing values

Variable	Variable Label	Details
<b>bib6a1</b>	Describe your own health	<p>Questionnaire: Categorical value</p> <hr/> <p>1307 non-missing values</p> <hr/> <p>Coding [b6mtabpoortoex1b1]:</p> <p>1 = Excellent</p> <p>2 = Very good</p> <p>3 = Good</p> <p>4 = Fair</p> <p>5 = Poor</p>
<b>bib6a2</b>	Describe your child's health	<p>Questionnaire: Categorical value</p> <hr/> <p>1305 non-missing values</p> <hr/> <p>Coding [b6mtabpoortoex1b1]:</p> <p>1 = Excellent</p> <p>2 = Very good</p> <p>3 = Good</p> <p>4 = Fair</p> <p>5 = Poor</p>
<b>bib6abdo</b>	Child's abdominal circumference (cm)	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 26.2 to 53</p> <p>Mean 42.31</p> <p>1286 non-missing values</p>
<b>bib6abdounable</b>	Child's abdominal circumference unavailable	<p>Questionnaire: Categorical value</p> <hr/> <p>50 non-missing values</p> <hr/> <p>Coding [b6mtabnotavai1b1]:</p> <p>1 = Not available</p>
<b>bib6b1</b>	Has child seen a doctor/nurse since birth	<p>Questionnaire: Categorical value</p> <hr/> <p>1332 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:</p> <p>1 = Yes</p> <p>2 = No</p> <p>3 = Don't know</p> <p>4 = Refused to answer</p>

Variable	Variable Label	Details
<b>bib6b2</b>	How many times seen doctor/nurse	Questionnaire: Categorical value ----- 1051 non-missing values ----- Coding [b6mtabnumbertimes1b1]: 1 = Once 2 = Twice 3 = 3-4 times 4 = 5-10 times 5 = 11+ times 6 = Don't know 7 = Refused to answer
<b>bib6b3abreathprob</b>	Saw doctor - breathing problems	Questionnaire: Categorical value ----- 1336 non-missing values ----- Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6b3achestinf</b>	Saw doctor - chest infection	Questionnaire: Categorical value ----- 1336 non-missing values ----- Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6b3aconstipation</b>	Saw doctor - constipation	Questionnaire: Categorical value ----- 1336 non-missing values ----- Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
<b>bib6b3aconvulsions</b>	Saw doctor - convulsions	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3acough</b>	Saw doctor - cough	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3acrying</b>	Saw doctor - crying	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3adiarrhoea</b>	Saw doctor - diarrhoea	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3aeearprob</b>	Saw doctor - ear problems	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>



Variable	Variable Label	Details
<b>bib6b3againmuchwt</b>	Saw doctor - gaining too much weight	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3ahightemp</b>	Saw doctor - high temperature	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3anogainwt</b>	Saw doctor - not gaining weight	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3aother</b>	Saw doctor - other reason	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3aotherspecified</b>	Specify why saw doctor because of other reason	<p>Questionnaire: Text value</p> <hr/> <p>243 unique values  1336 non-missing values</p>

Variable	Variable Label	Details
<b>bib6b3askinprob</b>	Saw doctor - skin problems	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3asnuffles</b>	Saw doctor - snuffles	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3athrush</b>	Saw doctor - thrush	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3atummy</b>	Saw doctor - tummy upset	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3auti</b>	Saw doctor - urinary tract infection	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>

Variable	Variable Label	Details
<b>bib6b3avomiting</b>	Saw doctor - vomiting	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3bbreathprob</b>	Saw nurse - breathing problems	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3bchestinf</b>	Saw nurse - chest infection	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3bconstipation</b>	Saw nurse - constipation	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3bconvulsions</b>	Saw nurse - convulsions	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>

Variable	Variable Label	Details
<b>bib6b3bcough</b>	Saw nurse - cough	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3bcrying</b>	Saw nurse - crying	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3bdiarrhoea</b>	Saw nurse - diarrhoea	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3bearprob</b>	Saw nurse - ear problems	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3bgainmuchwt</b>	Saw nurse - gaining too much weight	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>

Variable	Variable Label	Details
<b>bib6b3bhightemp</b>	Saw nurse - high temperature	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3bnogainwt</b>	Saw nurse - not gaining weight	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3bother</b>	Saw nurse - other reason	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3botherspecified</b>	Specify why saw nurse because of other reason	<p>Questionnaire: Text value</p> <hr/> <p>13 unique values  1336 non-missing values</p>
<b>bib6b3bskinprob</b>	Saw nurse - skin problems	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>

Variable	Variable Label	Details
<b>bib6b3bsnuffles</b>	Saw nurse - snuffles	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3bthrush</b>	Saw nurse - thrush	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3btummy</b>	Saw nurse - tummy upset	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3buti</b>	Saw nurse - urinary tract infection	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b3bvomiting</b>	Saw nurse - vomiting	<p>Questionnaire: Categorical value</p> <hr/> <p>1336 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>

Variable	Variable Label	Details
<b>bib6b4</b>	Has child been given a medical diagnosis	<p>Questionnaire: Categorical value</p> <hr/> <p>1319 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b5</b>	Has child been admitted to hospital since birth	<p>Questionnaire: Categorical value</p> <hr/> <p>1331 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b5a</b>	Number of hospital admissions	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 5  Mean 1.25  155 non-missing values</p>
<b>bib6b6</b>	Has child been to an outpatient clinic since birth	<p>Questionnaire: Categorical value</p> <hr/> <p>1326 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6b6a</b>	Number of outpatient clinics attended	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 20  Mean 2.52  240 non-missing values</p>
<b>bib6b7</b>	Has child been hurt/injured/had accident and needed medical attention	<p>Questionnaire: Categorical value</p> <hr/> <p>1330 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>

Variable	Variable Label	Details
<b>bib6b7a</b>	Number of times child has been hurt etc	Questionnaire: Integer value Range 1 to 5 Mean 1.13 52 non-missing values
<b>bib6c1</b>	Was child ever breastfed	Questionnaire: Categorical value 1331 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6c2</b>	Is child still being breastfed	Questionnaire: Categorical value 1034 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6c3days</b>	Age stopped breastfeeding (days)(derived)	Questionnaire: Integer value Range 0 to 244 Mean 51.40 700 non-missing values
<b>bib6c4</b>	Has child had formula	Questionnaire: Categorical value 1318 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6c4days</b>	Age first had formula (days)(derived)	Questionnaire: Integer value Range 1 to 244 Mean 32.15 1158 non-missing values



Variable	Variable Label	Details
<b>bib6c5a</b>	Has child had unsweetened drinks	<p>Questionnaire: Categorical value</p> <hr/> <p>1329 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6c5adays</b>	Age first had unsweetened drinks (days)(derived)	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 213  Mean 90.95  1229 non-missing values</p>
<b>bib6c5b</b>	Has child had sweetened drinks	<p>Questionnaire: Categorical value</p> <hr/> <p>1331 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6c5bdays</b>	Age first had sweetened drinks (days)(derived)	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 244  Mean 29.59  1336 non-missing values</p>
<b>bib6c6a</b>	Has child had savoury food	<p>Questionnaire: Categorical value</p> <hr/> <p>1330 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6c6adays</b>	Age first had savoury food (days)(derived)	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 213  Mean 135.15  1336 non-missing values</p>

Variable	Variable Label	Details
<b>bib6c6b</b>	Has child had sweetened food	Questionnaire: Categorical value <hr/> 1331 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6c6bdays</b>	Age first had sweetened food (days)(derived)	Questionnaire: Integer value <hr/> Range 0 to 244 Mean 110.88 1336 non-missing values
<b>bib6c7a</b>	How often do you feed your child at home	Questionnaire: Categorical value <hr/> 1332 non-missing values <hr/> Coding [b6mtabneverlikert1b1]: 1 = Never 2 = Seldom 3 = Half the time 4 = Most of the time 5 = Always 6 = Don't know 7 = Refused to answer 8 = NA
<b>bib6c7b</b>	Who else feeds your child at home	Questionnaire: Categorical value <hr/> 89 non-missing values <hr/> Coding [b6mtabfeedother1b1]: 1 = Father 2 = Maternal grandmother 3 = Child's sibling 4 = Paternal grandmother 5 = Other
<b>bib6c7botherspecified</b>	Specify other person who feeds your baby at home	Questionnaire: Text value <hr/> 7 unique values 1336 non-missing values

Variable	Variable Label	Details
<b>bib6c7c</b>	How often do you decide what your baby eats at home	Questionnaire: Categorical value <hr/> 1328 non-missing values <hr/> Coding [b6mtabneverlikert1b1]: 1 = Never 2 = Seldom 3 = Half the time 4 = Most of the time 5 = Always 6 = Don't know 7 = Refused to answer 8 = NA
<b>bib6c7d</b>	Who else decides what your baby eats at home	Questionnaire: Categorical value <hr/> 45 non-missing values <hr/> Coding [b6mtabfeedother1b1]: 1 = Father 2 = Maternal grandmother 3 = Child's sibling 4 = Paternal grandmother 5 = Other
<b>bib6c7dotherspecified</b>	Specify other person who decides what your baby at home	Questionnaire: Text value <hr/> 4 unique values 1336 non-missing values
<b>bib6c8a</b>	Number of hours child sleeps during the day	Questionnaire: Continuous value <hr/> Range 0 to 11 Mean 3.84 1327 non-missing values
<b>bib6c8b</b>	Number of hours child sleeps during the night	Questionnaire: Continuous value <hr/> Range 0 to 12 Mean 9.28 1328 non-missing values
<b>bib6chdravday</b>	Average hours of daily TV viewing by child	Questionnaire: Continuous value <hr/> Range 0 to 9 Mean 0.91 1295 non-missing values

Variable	Variable Label	Details
<b>bib6chdhrdaywk</b>	Hours of daily weekday TV viewing by child	Questionnaire: Continuous value Range 0 to 9 Mean 0.92 1295 non-missing values
<b>bib6chdhrdaywkend</b>	Hours of daily weekend TV viewing by child	Questionnaire: Continuous value Range 0 to 9 Mean 0.89 1295 non-missing values
<b>bib6childage</b>	Age of child (months)	Questionnaire: Continuous value Range 4.86362 to 9.39862 Mean 6.65 1333 non-missing values
<b>bib6childweight</b>	Child's weight (kg)	Questionnaire: Continuous value Range 4.6 to 12.5 Mean 7.85 1301 non-missing values
<b>bib6childweightunable</b>	Child's weight unavailable	Questionnaire: Categorical value 35 non-missing values Coding [b6mtabnotavail1b1]: 1 = Not available
<b>bib6d1</b>	How do you see the weight of your child	Questionnaire: Categorical value 1331 non-missing values Coding [b6mtabseewt1b1]: 1 = Much too low 2 = A little too low 3 = Just right 4 = A little too high 5 = Much too high

Variable	Variable Label	Details
<b>bib6d2</b>	How would you classify your child's weight	<p>Questionnaire: Categorical value</p> <hr/> <p>1327 non-missing values</p> <hr/> <p>Coding [b6mtabclasswt1b1]:</p> <p>1 = Very underweight  2 = Underweight  3 = Average  4 = Overweight  5 = Very overweight</p>
<b>bib6d3</b>	What is your child's weight compared to other children	<p>Questionnaire: Categorical value</p> <hr/> <p>1299 non-missing values</p> <hr/> <p>Coding [b6mtabcompwt1b1]:</p> <p>1 = Much thinner  2 = A little bit thinner  3 = About the same  4 = A little heavier  5 = Much heavier</p>
<b>bib6d4</b>	How quickly has your child gained weight compared to other children	<p>Questionnaire: Categorical value</p> <hr/> <p>1294 non-missing values</p> <hr/> <p>Coding [b6mtabgainwt1b1]:</p> <p>1 = Much slower  2 = A little slower  3 = About the same  4 = A little quicker  5 = Much quicker</p>
<b>bib6d5</b>	I am worried my child will become overweight	<p>Questionnaire: Categorical value</p> <hr/> <p>1321 non-missing values</p> <hr/> <p>Coding [b6mtabagreement1b1]:</p> <p>1 = Disagree a lot  2 = Disagree a little  3 = Neither agree nor disagree  4 = Agree a little  5 = Agree a lot</p>

Variable	Variable Label	Details
<b>bib6d6</b>	I would be concerned if my child was undereating and not gaining weight	<p>Questionnaire: Categorical value</p> <p>1329 non-missing values</p> <p>Coding [b6mtabagreement1b1]:</p> <p>1 = Disagree a lot  2 = Disagree a little  3 = Neither agree nor disagree  4 = Agree a little  5 = Agree a lot</p>
<b>bib6d7</b>	How would you describe yourself	<p>Questionnaire: Categorical value</p> <p>1329 non-missing values</p> <p>Coding [b6mtabmumwt1b1]:</p> <p>1 = Very overweight  2 = Moderately overweight  3 = Slightly overweight  4 = Just right  5 = Slightly underweight  6 = Moderately underweight  7 = Very underweight</p>
<b>bib6d8mother</b>	Select the picture that looks most like you (mother)	<p>Questionnaire: Integer value</p> <p>Range 1 to 10  Mean 4.99  1320 non-missing values</p>
<b>bib6d8partner</b>	Select the picture that looks most like you (partner)	<p>Questionnaire: Integer value</p> <p>Range 1 to 10  Mean 4.75  1289 non-missing values</p>
<b>bib6e1</b>	Marital status	<p>Questionnaire: Categorical value</p> <p>1330 non-missing values</p> <p>Coding [b6mtabmar1b1]:</p> <p>1 = Married  2 = Re-married  3 = Single  4 = Separated  5 = Divorced  6 = Widowed</p>

Variable	Variable Label	Details
<b>bib6e2</b>	Living arrangements	<p>Questionnaire: Categorical value</p> <hr/> <p>1327 non-missing values</p> <hr/> <p>Coding [b6mtablivelb1]:            1 = Living with baby's father            2 = Living with another partner            3 = Not living with partner but in a relationship            4 = Not living with partner and not in a relationship</p>
<b>bib6e3</b>	Number of people living in household	<p>Questionnaire: Integer value</p> <hr/> <p>Range 2 to 16            Mean 5.00            1331 non-missing values</p>
<b>bib6f1</b>	Current employment status	<p>Questionnaire: Categorical value</p> <hr/> <p>1328 non-missing values</p> <hr/> <p>Coding [b6mtabempcurlb1]:            1 = In a job, working for an employer            2 = On maternity leave from employer            3 = Self employed            4 = Full-time student            5 = Looking after home and family            6 = Doing something else</p>
<b>bib6f10</b>	Does your partner supervise any other employees	<p>Questionnaire: Categorical value</p> <hr/> <p>1009 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:            1 = Yes            2 = No            3 = Don't know            4 = Refused to answer</p>
<b>bib6f11</b>	What best describes your partners work	<p>Questionnaire: Categorical value</p> <hr/> <p>1103 non-missing values</p> <hr/> <p>Coding [b6mtabempdesc1b1]:            1 = Modern professional occupations            2 = Clerical and intermediate occupations            3 = Senior managers or administrators            4 = Technical and craft occupations            5 = Semi-routine manual and service occupations            6 = Routine manual and service occupations            7 = Middle or junior managers            8 = Traditional professional occupations</p>

Variable	Variable Label	Details
<b>bib6f1otherspecified</b>	Specify if other employment status	Questionnaire: Text value <hr/> 10 unique values 1336 non-missing values
<b>bib6f2</b>	Have you returned to work since child was born	Questionnaire: Categorical value <hr/> 536 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6f3</b>	Do you work as an employee or are you self-employed	Questionnaire: Categorical value <hr/> 567 non-missing values <hr/> Coding [b6mtabemptype1b1]: 1 = Employee 2 = Self employed with employees 3 = Self employed without employees 4 = Student
<b>bib6f4</b>	How many people work for your employer	Questionnaire: Categorical value <hr/> 545 non-missing values <hr/> Coding [b6mtabempnum1b1]: 1 = 1-24 2 = 25+ 3 = Don't know
<b>bib6f5</b>	yesno1b1	Questionnaire: Categorical value <hr/> 538 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer



Variable	Variable Label	Details
<b>bib6f6</b>	What best describes your work	<p>Questionnaire: Categorical value</p> <hr/> <p>557 non-missing values</p> <hr/> <p>Coding [b6mtabempdesc1b1]:</p> <p>1 = Modern professional occupations  2 = Clerical and intermediate occupations  3 = Senior managers or administrators  4 = Technical and craft occupations  5 = Semi-routine manual and service occupations  6 = Routine manual and service occupations  7 = Middle or junior managers  8 = Traditional professional occupations</p>
<b>bib6f7</b>	Has your partner ever been employed	<p>Questionnaire: Categorical value</p> <hr/> <p>1215 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:</p> <p>1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6f8</b>	Is your partner an employee or self-employed	<p>Questionnaire: Categorical value</p> <hr/> <p>1148 non-missing values</p> <hr/> <p>Coding [b6mtabemptype1b1]:</p> <p>1 = Employee  2 = Self employed with employees  3 = Self employed without employees  4 = Student</p>
<b>bib6f9</b>	How many people work for your partners employer	<p>Questionnaire: Categorical value</p> <hr/> <p>1014 non-missing values</p> <hr/> <p>Coding [b6mtabempnum1b1]:</p> <p>1 = 1-24  2 = 25+  3 = Don't know</p>
<b>bib6g1</b>	Do you have regular arrangement to have your child looked after	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 2  Mean 1.89  1325 non-missing values</p>

Variable	Variable Label	Details
<b>bib6g2acarerfeed</b>	Does your partner feed your child	<p>Questionnaire: Categorical value</p> <hr/> <p>21 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6g2ahome</b>	Is your child looked after in your home by partner	<p>Questionnaire: Categorical value</p> <hr/> <p>20 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6g2ahrs</b>	Hours/week child looked after by partner	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 5 to 45  Mean 16.38  20 non-missing values</p>
<b>bib6g2ana</b>	Question not applicable	<p>Questionnaire: Categorical value</p> <hr/> <p>111 non-missing values</p> <hr/> <p>Coding [b6mtabna1b1]:  1 = Not applicable</p>
<b>bib6g2aothercchildren</b>	How many other children does your partner look after	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 4  Mean 1.17  18 non-missing values</p>
<b>bib6g2bcarerfeed</b>	Does your non-resident partner feed your child	<p>Questionnaire: Categorical value</p> <hr/> <p>9 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>

Variable	Variable Label	Details
<b>bib6g2bhome</b>	Is your child looked after in your home by non-resident partner	Questionnaire: Categorical value <hr/> 9 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2bhrs</b>	Hours/week child looked after by non-resident partner	Questionnaire: Integer value <hr/> Range 5 to 48 Mean 15.00 10 non-missing values
<b>bib6g2bna</b>	Question not applicable	Questionnaire: Categorical value <hr/> 123 non-missing values <hr/> Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6g2botherchildren</b>	How many other children does your non-resident partner look after	Questionnaire: Integer value <hr/> Range 0 to 6 Mean 1.38 8 non-missing values
<b>bib6g2ccarerfeed</b>	Does your mother feed your child	Questionnaire: Categorical value <hr/> 42 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2chome</b>	Is your child looked after in your home by your mother	Questionnaire: Categorical value <hr/> 42 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
<b>bib6g2chrs</b>	Hours/week child looked after by your mother	Questionnaire: Continuous value Range 1 to 50 Mean 18.38 42 non-missing values
<b>bib6g2cna</b>	Question not applicable	Questionnaire: Categorical value 95 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6g2cotherchildren</b>	How many other children does your mother look after	Questionnaire: Integer value Range 0 to 6 Mean 0.89 36 non-missing values
<b>bib6g2dcarerfeed</b>	Does your father feed your child	Questionnaire: Categorical value 8 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2dhome</b>	Is your child looked after in your home by your father	Questionnaire: Categorical value 8 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2dhrs</b>	Hours/week child looked after by your father	Questionnaire: Integer value Range 4 to 24 Mean 10.50 8 non-missing values
<b>bib6g2dna</b>	Question not applicable	Questionnaire: Categorical value 123 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable

Variable	Variable Label	Details
<b>bib6g2dotherchildren</b>	How many other children does your father look after	Questionnaire: Integer value Range 0 to 1 Mean 0.38 8 non-missing values
<b>bib6g2ecarerfeed</b>	Does your partner's mother feed your child	Questionnaire: Categorical value 32 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2ehome</b>	Is your child looked after in your home by your partner's mother	Questionnaire: Categorical value 32 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2ehrs</b>	Hours/week child looked after by your partner's mother	Questionnaire: Integer value Range 5 to 28 Mean 10.37 30 non-missing values
<b>bib6g2ena</b>	Question not applicable	Questionnaire: Categorical value 101 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6g2eotherchildren</b>	How many other children does your partner's mother look after	Questionnaire: Integer value Range 0 to 3 Mean 0.71 31 non-missing values

Variable	Variable Label	Details
<b>bib6g2fcarerfeed</b>	Does your partner's father feed your child	Questionnaire: Categorical value <hr/> 3 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2fhome</b>	Is your child looked after in your home by your partner's father	Questionnaire: Categorical value <hr/> 3 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2fhrs</b>	Hours/week child looked after by your partner's father	Questionnaire: Integer value <hr/> Range 5 to 7 Mean 5.67 3 non-missing values
<b>bib6g2fna</b>	Question not applicable	Questionnaire: Categorical value <hr/> 129 non-missing values <hr/> Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6g2fotherchildren</b>	How many other children does your partner's father look after	Questionnaire: Integer value <hr/> Range 0 to 2 Mean 1.00 3 non-missing values
<b>bib6g2gcarerfeed</b>	Does your non-resident partner's mother feed your child	Questionnaire: Categorical value <hr/> NA non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
<b>bib6g2ghome</b>	Is your child looked after in your home by non-resident partner's mother	Questionnaire: Categorical value <hr/> NA non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2ghrs</b>	Hours/week child looked after by non-resident partner's mother	Questionnaire: Integer value <hr/> Range NA to NA Mean NA NA non-missing values
<b>bib6g2gna</b>	Question not applicable	Questionnaire: Categorical value <hr/> 132 non-missing values <hr/> Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6g2gotherchildren</b>	How many other children does your non-resident partner's mother look after	Questionnaire: Integer value <hr/> Range NA to NA Mean NA NA non-missing values
<b>bib6g2hcarerfeed</b>	Does your non-resident partner's father feed your child	Questionnaire: Categorical value <hr/> NA non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2hhome</b>	Is your child looked after in your home by non-resident partner's father	Questionnaire: Categorical value <hr/> NA non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
<b>bib6g2hhrs</b>	Hours/week child looked after by non-resident partner's father	Questionnaire: Integer value Range NA to NA Mean NA NA non-missing values
<b>bib6g2hna</b>	Question not applicable	Questionnaire: Categorical value 132 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6g2hotherchildren</b>	How many other children does your non-resident partner's father look after	Questionnaire: Integer value Range NA to NA Mean NA NA non-missing values
<b>bib6g2icarerfeed</b>	Does your other relative feed your child	Questionnaire: Categorical value 15 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2ihome</b>	Is your child looked after in your home by other relative	Questionnaire: Categorical value 13 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2ihrs</b>	Hours/week child looked after by other relative	Questionnaire: Continuous value Range 3 to 25 Mean 9.30 15 non-missing values
<b>bib6g2ina</b>	Question not applicable	Questionnaire: Categorical value 122 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable



Variable	Variable Label	Details
<b>bib6g2iotherchildren</b>	How many other children does your other relative look after	Questionnaire: Integer value Range 0 to 3 Mean 1.13 15 non-missing values
<b>bib6g2jcarerfeed</b>	Does your friend/neighbour feed your child	Questionnaire: Categorical value 3 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2jhome</b>	Is your child looked after in your home by your friend/neighbour	Questionnaire: Categorical value 3 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2jhrs</b>	Hours/week child looked after by your friend/neighbour	Questionnaire: Integer value Range 6 to 8 Mean 7.00 3 non-missing values
<b>bib6g2jna</b>	Question not applicable	Questionnaire: Categorical value 129 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6g2jotherchildren</b>	How many other children does your friend/neighbour look after	Questionnaire: Integer value Range 1 to 3 Mean 1.67 3 non-missing values

Variable	Variable Label	Details
<b>bib6g2kcarerfeed</b>	Does your live-in nanny/au-pair feed your child	<p>Questionnaire: Categorical value</p> <hr/> <p>NA non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6g2khome</b>	Is your child looked after in your home by your live-in nanny/au-pair	<p>Questionnaire: Categorical value</p> <hr/> <p>NA non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>
<b>bib6g2khrs</b>	Hours/week child looked after by your live-in nanny/au-pair	<p>Questionnaire: Integer value</p> <hr/> <p>Range NA to NA  Mean NA  NA non-missing values</p>
<b>bib6g2kna</b>	Question not applicable	<p>Questionnaire: Categorical value</p> <hr/> <p>132 non-missing values</p> <hr/> <p>Coding [b6mtabna1b1]:  1 = Not applicable</p>
<b>bib6g2kotherchildren</b>	How many other children does your live-in nanny/au-pair look after	<p>Questionnaire: Integer value</p> <hr/> <p>Range NA to NA  Mean NA  NA non-missing values</p>
<b>bib6g2lcarerfeed</b>	Does your other nanny/au-pair feed your child	<p>Questionnaire: Categorical value</p> <hr/> <p>1 non-missing values</p> <hr/> <p>Coding [b6mtabyesno1b1]:  1 = Yes  2 = No  3 = Don't know  4 = Refused to answer</p>

Variable	Variable Label	Details
<b>bib6g2lhome</b>	Is your child looked after in your home by your other nanny/au-pair	Questionnaire: Categorical value <hr/> 1 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2lhrs</b>	Hours/week child looked after by your other nanny/au-pair	Questionnaire: Integer value <hr/> Range 42 to 42 Mean 42.00 1 non-missing values
<b>bib6g2lna</b>	Question not applicable	Questionnaire: Categorical value <hr/> 131 non-missing values <hr/> Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6g2lotherchildren</b>	How many other children does your other nanny/au-pair look after	Questionnaire: Integer value <hr/> Range 1 to 1 Mean 1.00 1 non-missing values
<b>bib6g2mcarerfeed</b>	Does a registered child-minderfeed your child	Questionnaire: Categorical value <hr/> 7 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2mhome</b>	Is your child looked after in your home by a registered child-minder	Questionnaire: Categorical value <hr/> 7 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
<b>bib6g2mhrs</b>	Hours/week child looked after by a registered child-minder	Questionnaire: Integer value Range 10 to 45 Mean 29.14 7 non-missing values
<b>bib6g2mna</b>	Question not applicable	Questionnaire: Categorical value 126 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6g2motherchildren</b>	How many other children does a registered child-minder look after	Questionnaire: Integer value Range 0 to 6 Mean 4.29 7 non-missing values
<b>bib6g2ncarerfeed</b>	Does an unregistered child-minder feed your child	Questionnaire: Categorical value 1 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2nhome</b>	Is your child looked after in your home by an unregistered child-minder	Questionnaire: Categorical value 1 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2nhrs</b>	Hours/week child looked after by an unregistered child-minder	Questionnaire: Integer value Range 24 to 24 Mean 24.00 1 non-missing values
<b>bib6g2nna</b>	Question not applicable	Questionnaire: Categorical value 131 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable

Variable	Variable Label	Details
<b>bib6g2notherchildren</b>	How many other children does an unregistered child-minder look after	Questionnaire: Integer value Range 1 to 1 Mean 1.00 1 non-missing values
<b>bib6g2ocarerfeed</b>	Does a workplace creche feed your child	Questionnaire: Categorical value 7 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2ohome</b>	Is your child looked after in your home by a workplace creche	Questionnaire: Categorical value 7 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2ohrs</b>	Hours/week child looked after by a workplace creche	Questionnaire: Integer value Range 4 to 25 Mean 16.00 7 non-missing values
<b>bib6g2ona</b>	Question not applicable	Questionnaire: Categorical value 125 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6g2pcarerfeed</b>	Does a local authority creche feed your child	Questionnaire: Categorical value 5 non-missing values Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer

Variable	Variable Label	Details
<b>bib6g2phome</b>	Is your child looked after in your home by a local authority creche	Questionnaire: Categorical value <hr/> 5 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2phrs</b>	Hours/week child looked after by a local authority creche	Questionnaire: Continuous value <hr/> Range 16 to 42.5 Mean 30.90 5 non-missing values
<b>bib6g2pna</b>	Question not applicable	Questionnaire: Categorical value <hr/> 126 non-missing values <hr/> Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6g2qcarerfeed</b>	Does a private creche feed your child	Questionnaire: Categorical value <hr/> 15 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2qhome</b>	Is your child looked after in your home by a private creche	Questionnaire: Categorical value <hr/> 16 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6g2qhrs</b>	Hours/week child looked after by a private creche	Questionnaire: Integer value <hr/> Range 4 to 40 Mean 21.19 16 non-missing values

Variable	Variable Label	Details
<b>bib6g2qna</b>	Question not applicable	Questionnaire: Categorical value <hr/> 116 non-missing values <hr/> Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6h1</b>	Have you ever regularly smoked cigarettes	Questionnaire: Categorical value <hr/> 1329 non-missing values <hr/> Coding [b6mtabsmkyesno1b1]: 1 = Yes, for >1 year 2 = Yes, for <1 year 3 = No
<b>bib6h2</b>	Do you smoke nowadays	Questionnaire: Categorical value <hr/> 316 non-missing values <hr/> Coding [b6mtabyesno1b1]: 1 = Yes 2 = No 3 = Don't know 4 = Refused to answer
<b>bib6h2a</b>	If no, age stopped smoking	Questionnaire: Integer value <hr/> Range 15 to 42 Mean 25.31 137 non-missing values
<b>bib6h2adr</b>	Don't remember age stopped smoking	Questionnaire: Categorical value <hr/> 1 non-missing values <hr/> Coding [b6mtabnoremlb1]: 1 = Don't remember
<b>bib6h3</b>	If yes, number of cigs smoked since giving birth	Questionnaire: Categorical value <hr/> 174 non-missing values <hr/> Coding [b6mtabsmknmlb1]: 1 = None 2 = 1-5 per day 3 = 6-10 per day 4 = 11-20 per day 5 = 20+ per day

Variable	Variable Label	Details
<b>bib6h4</b>	Are you exposed to other peoples' smoke	Questionnaire: Categorical value <hr/> 1322 non-missing values <hr/> Coding [b6mtabsmk2nd1b1]: 1 = Yes 2 = No 3 = <1 hour per day/occasionally
<b>bib6h4hrs</b>	If yes, for how many hours	Questionnaire: Continuous value <hr/> Range 0 to 12 Mean 3.67 72 non-missing values
<b>bib6h5</b>	Is child exposed to other peoples' smoke	Questionnaire: Categorical value <hr/> 1302 non-missing values <hr/> Coding [b6mtabsmk2nd1b1]: 1 = Yes 2 = No 3 = <1 hour per day/occasionally
<b>bib6h5hrs</b>	If yes, for how many hours	Questionnaire: Continuous value <hr/> Range 0 to 12 Mean 2.82 14 non-missing values
<b>bib6h6</b>	Have you drunk alcohol since giving birth	Questionnaire: Categorical value <hr/> 1328 non-missing values <hr/> Coding [b6mtabalcnun11b1]: 1 = Yes, once a week or more 2 = Yes, occasionally 3 = No 4 = Don't remember
<b>bib6h7beeravg</b>	Average number of units/week of beer	Questionnaire: Continuous value <hr/> Range 0 to 36 Mean 9.36 22 non-missing values



Variable	Variable Label	Details
<b>bib6h7beerdr</b>	Don't remember the number of units/week of beer	Questionnaire: Categorical value 7 non-missing values Coding [b6mtabnorem1b1]: 1 = Don't remember
<b>bib6h7beermax</b>	Maximum number of units/week of beer	Questionnaire: Continuous value Range 0 to 18 Mean 7.54 18 non-missing values
<b>bib6h7beerna</b>	Question not applicable	Questionnaire: Categorical value 56 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6h7otheravg</b>	Average number of units/week of other	Questionnaire: Integer value Range 3 to 15 Mean 9.00 2 non-missing values
<b>bib6h7otherdr</b>	Don't remember the number of units/week of other	Questionnaire: Categorical value 9 non-missing values Coding [b6mtabnorem1b1]: 1 = Don't remember
<b>bib6h7othermax</b>	Maximum number of units/week of other	Questionnaire: Integer value Range 5 to 15 Mean 10.00 2 non-missing values
<b>bib6h7otherna</b>	Question not applicable	Questionnaire: Categorical value 73 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6h7spiritsavg</b>	Average number of units/week of spirits	Questionnaire: Integer value Range 0 to 30 Mean 6.45 11 non-missing values

Variable	Variable Label	Details
<b>bib6h7spiritsdr</b>	Don't remember the number of units/week of spirits	Questionnaire: Categorical value 10 non-missing values Coding [b6mtabnoremlb1]: 1 = Don't remember
<b>bib6h7spiritsmax</b>	Maximum number of units/week of spirits	Questionnaire: Integer value Range 4 to 30 Mean 8.86 7 non-missing values
<b>bib6h7spiritsna</b>	Question not applicable	Questionnaire: Categorical value 66 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6h7wineavg</b>	Average number of units/week of wine	Questionnaire: Continuous value Range 1 to 42 Mean 8.80 54 non-missing values
<b>bib6h7winedr</b>	Don't remember the number of units/week of wine	Questionnaire: Categorical value 4 non-missing values Coding [b6mtabnoremlb1]: 1 = Don't remember
<b>bib6h7winemax</b>	Maximum number of units/week of wine	Questionnaire: Continuous value Range 0 to 42 Mean 7.57 45 non-missing values
<b>bib6h7winena</b>	Question not applicable	Questionnaire: Categorical value 27 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable

Variable	Variable Label	Details
<b>bib6h8</b>	How often have you drank 5+ units of alcohol/week since giving birth	Questionnaire: Categorical value <hr/> 434 non-missing values <hr/> Coding [b6mtaba1cnum21b1]: 1 = Everyday 2 = Nearly everyday 3 = 1-4 times per week 4 = 1-3 times per month 5 = Rarely 6 = Never
<b>bib6head</b>	Child's head circumference	Questionnaire: Continuous value <hr/> Range 39 to 48.8 Mean 43.82 1273 non-missing values
<b>bib6headunable</b>	Child's head circumference unavailable	Questionnaire: Categorical value <hr/> 63 non-missing values <hr/> Coding [b6mtabnotavail1b1]: 1 = Not available
<b>bib6i1</b>	In last week, number of times spent walking 10+ minutes	Questionnaire: Integer value <hr/> Range 0 to 30 Mean 5.59 1139 non-missing values
<b>bib6i1na</b>	Question I1 not applicable	Questionnaire: Categorical value <hr/> 191 non-missing values <hr/> Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6i3</b>	In last week, number of times spent doing vigorous gardening	Questionnaire: Integer value <hr/> Range 0 to 7 Mean 0.56 430 non-missing values
<b>bib6i3na</b>	Question I3 not applicable	Questionnaire: Categorical value <hr/> 905 non-missing values <hr/> Coding [b6mtabna1b1]: 1 = Not applicable

Variable	Variable Label	Details
<b>bib6i5</b>	In last week, number of times spent doing vigorous physical activity	Questionnaire: Integer value Range 0 to 14 Mean 1.24 456 non-missing values
<b>bib6i5na</b>	Question I5 not applicable	Questionnaire: Categorical value 876 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6i7</b>	In last week, number of times spent doing other moderate physical activity	Questionnaire: Integer value Range 0 to 14 Mean 0.56 362 non-missing values
<b>bib6i7na</b>	Question I7 not applicable	Questionnaire: Categorical value 958 non-missing values Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6i9a</b>	Taking stairs/being active 30+ mins a day is enough to improve health	Questionnaire: Categorical value 1325 non-missing values Coding [b6mtabagreement21b1]: 1 = Strongly disagree 2 = Disagree 3 = Neither agree nor disagree 4 = Agree 5 = Agree strongly
<b>bib6i9b</b>	Half hour brisk walking on most days is enough to improve health	Questionnaire: Categorical value 1323 non-missing values Coding [b6mtabagreement21b1]: 1 = Strongly disagree 2 = Disagree 3 = Neither agree nor disagree 4 = Agree 5 = Agree strongly

Variable	Variable Label	Details
<b>bib6i9c</b>	Essential to do vigorous exercise for 20+ mins 3 times/week to improve health	<p>Questionnaire: Categorical value</p> <hr/> <p>1323 non-missing values</p> <hr/> <p>Coding [b6mtabagreement21b1]:</p> <p>1 = Strongly disagree</p> <p>2 = Disagree</p> <p>3 = Neither agree nor disagree</p> <p>4 = Agree</p> <p>5 = Agree strongly</p>
<b>bib6i9d</b>	Exercise doesn't have to be done all at once, 10 minute blocks are OK	<p>Questionnaire: Categorical value</p> <hr/> <p>1322 non-missing values</p> <hr/> <p>Coding [b6mtabagreement21b1]:</p> <p>1 = Strongly disagree</p> <p>2 = Disagree</p> <p>3 = Neither agree nor disagree</p> <p>4 = Agree</p> <p>5 = Agree strongly</p>
<b>bib6i9e</b>	Moderate exercise that increases your heart rate slightly can improve health	<p>Questionnaire: Categorical value</p> <hr/> <p>1322 non-missing values</p> <hr/> <p>Coding [b6mtabagreement21b1]:</p> <p>1 = Strongly disagree</p> <p>2 = Disagree</p> <p>3 = Neither agree nor disagree</p> <p>4 = Agree</p> <p>5 = Agree strongly</p>
<b>bib6j1wk</b>	Number of hours per day TV on week days	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 24</p> <p>Mean 8.25</p> <p>1308 non-missing values</p>
<b>bib6j1wkend</b>	Number of hours per day TV on weekends	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 24</p> <p>Mean 8.27</p> <p>1287 non-missing values</p>
<b>bib6j1wkendna</b>	Question J1 (weekend) not applicable	<p>Questionnaire: Categorical value</p> <hr/> <p>32 non-missing values</p> <hr/> <p>Coding [b6mtabna1b1]:</p> <p>1 = Not applicable</p>

Variable	Variable Label	Details
<b>bib6j1wkna</b>	Question J1 (week day) not applicable	Questionnaire: Categorical value ----- 16 non-missing values ----- Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6j2a</b>	Number of hours per day mum watched TV on week days before 6pm	Questionnaire: Categorical value ----- 1324 non-missing values ----- Coding [b6mtabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day
<b>bib6j2b</b>	Number of hours per day mum watched TV on week days after 6pm	Questionnaire: Categorical value ----- 1326 non-missing values ----- Coding [b6mtabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day
<b>bib6j2c</b>	Number of hours per day mum watched TV on weekends before 6pm	Questionnaire: Categorical value ----- 1324 non-missing values ----- Coding [b6mtabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day

Variable	Variable Label	Details
<b>bib6j2d</b>	Number of hours per day mum watched TV on weekends after 6pm	Questionnaire: Categorical value ----- 1326 non-missing values ----- Coding [b6mtabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day
<b>bib6j3a</b>	Number of hours/day child watched TV on week days before 6pm	Questionnaire: Categorical value ----- 1324 non-missing values ----- Coding [b6mtabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day
<b>bib6j3b</b>	Number of hours/day child watched TV on week days after 6pm	Questionnaire: Categorical value ----- 1325 non-missing values ----- Coding [b6mtabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day
<b>bib6j3c</b>	Number of hours/day child watched TV on weekends before 6pm	Questionnaire: Categorical value ----- 1324 non-missing values ----- Coding [b6mtabscreen1b1]: 1 = None 2 = <1 hour per day 3 = 1 - 2 hours per day 4 = 2 - 3 hours per day 5 = 3 - 4 hours per day 6 = 4+ hours per day

Variable	Variable Label	Details
<b>bib6j3d</b>	Number of hours/day child watched TV on weekends after 6pm	<p>Questionnaire: Categorical value</p> <hr/> <p>1324 non-missing values</p> <hr/> <p>Coding [b6mtabscreen1b1]:  1 = None  2 = &lt;1 hour per day  3 = 1 - 2 hours per day  4 = 2 - 3 hours per day  5 = 3 - 4 hours per day  6 = 4+ hours per day</p>
<b>bib6k1</b>	How many portions of fruit do you eat/day	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 10  Mean 1.93  1233 non-missing values</p>
<b>bib6k10a</b>	How often do you take a second helping	<p>Questionnaire: Categorical value</p> <hr/> <p>1326 non-missing values</p> <hr/> <p>Coding [b6mtabhhelpings1b1]:  1 = Never  2 = Almost never  3 = Sometimes  4 = Frequently  5 = Always</p>
<b>bib6k10b</b>	How often does your partner take a second helping	<p>Questionnaire: Categorical value</p> <hr/> <p>1224 non-missing values</p> <hr/> <p>Coding [b6mtabhhelpings1b1]:  1 = Never  2 = Almost never  3 = Sometimes  4 = Frequently  5 = Always</p>
<b>bib6k10bna</b>	Question K10 not applicable	<p>Questionnaire: Categorical value</p> <hr/> <p>98 non-missing values</p> <hr/> <p>Coding [b6mtabna1b1]:  1 = Not applicable</p>



Variable	Variable Label	Details
<b>bib6k11</b>	yesnobl	Questionnaire: Integer value <hr/> Range 1 to 2 Mean 1.33 1321 non-missing values
<b>bib6k1na</b>	Question K1 not applicable	Questionnaire: Categorical value <hr/> 105 non-missing values <hr/> Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6k2</b>	How many portions of vegetables do you eat/day	Questionnaire: Integer value <hr/> Range 0 to 10 Mean 1.85 1254 non-missing values
<b>bib6k2na</b>	Question K2 not applicable	Questionnaire: Categorical value <hr/> 78 non-missing values <hr/> Coding [b6mtabna1b1]: 1 = Not applicable
<b>bib6k3</b>	What milk do you usually drink	Questionnaire: Categorical value <hr/> 1327 non-missing values <hr/> Coding [b6mtabmilk11b1]: 1 = Whole/full fat milk 2 = Semi-skimmed milk 3 = Skimmed milk 4 = Rarely/never use milk 5 = Condensed milk 6 = Other
<b>bib6k3otherspecified</b>	Specify other type of milk	Questionnaire: Text value <hr/> 9 unique values 1336 non-missing values

Variable	Variable Label	Details
<b>bib6k4a</b>	In the last 7 days, on how many days did you eat breakfast	<p>Questionnaire: Categorical value</p> <hr/> <p>1328 non-missing values</p> <hr/> <p>Coding [b6mtabdays1b1]:</p> <p>0 = None  1 = 1 day  2 = 2 days  3 = 3 days  4 = 4 days  5 = 5 days  6 = 6 days  7 = 7 days</p>
<b>bib6k4b</b>	In the last 7 days, on how many days did you eat meals cooked with fresh ingredi	<p>Questionnaire: Categorical value</p> <hr/> <p>1328 non-missing values</p> <hr/> <p>Coding [b6mtabdays1b1]:</p> <p>0 = None  1 = 1 day  2 = 2 days  3 = 3 days  4 = 4 days  5 = 5 days  6 = 6 days  7 = 7 days</p>
<b>bib6k4c</b>	In the last 7 days, how often did you have take-away food	<p>Questionnaire: Categorical value</p> <hr/> <p>1328 non-missing values</p> <hr/> <p>Coding [b6mtabdays1b1]:</p> <p>0 = None  1 = 1 day  2 = 2 days  3 = 3 days  4 = 4 days  5 = 5 days  6 = 6 days  7 = 7 days</p>

Variable	Variable Label	Details
<b>bib6k4d</b>	In the last 7 days, how often did you have a meal away from home	<p>Questionnaire: Categorical value</p> <hr/> <p>1328 non-missing values</p> <hr/> <p>Coding [b6mtabdays1b1]:</p> <p>0 = None  1 = 1 day  2 = 2 days  3 = 3 days  4 = 4 days  5 = 5 days  6 = 6 days  7 = 7 days</p>
<b>bib6k5</b>	What sort of milk do you usually drink in your house	<p>Questionnaire: Categorical value</p> <hr/> <p>1293 non-missing values</p> <hr/> <p>Coding [b6mtabmilk21b1]:</p> <p>1 = Full cream  2 = Semi-skimmed  3 = Skimmed  4 = None  5 = Don't know</p>
<b>bib6k6</b>	What sort of bread do you usually eat in your house	<p>Questionnaire: Categorical value</p> <hr/> <p>1320 non-missing values</p> <hr/> <p>Coding [b6mtabbread1b1]:</p> <p>1 = White  2 = High fibre white  3 = Wholemeal/granary  4 = None  5 = Don't know</p>
<b>bib6k7</b>	What sort of spread do you usually eat in your house	<p>Questionnaire: Categorical value</p> <hr/> <p>1326 non-missing values</p> <hr/> <p>Coding [b6mtabspread1b1]:</p> <p>1 = Butter  2 = Margarine  3 = Low fat spread  4 = None  5 = Don't know</p>

Variable	Variable Label	Details
<b>bib6k8a</b>	How do you rate your eating pace	Questionnaire: Categorical value <hr/> 1327 non-missing values <hr/> Coding [b6mtabeatpacelb1]: 1 = Slow 2 = Average 3 = Fast
<b>bib6k8b</b>	How do you rate your partner's eating pace	Questionnaire: Categorical value <hr/> 1226 non-missing values <hr/> Coding [b6mtabeatpacelb1]: 1 = Slow 2 = Average 3 = Fast
<b>bib6k8bna</b>	Question K8 not applicable	Questionnaire: Categorical value <hr/> 94 non-missing values <hr/> Coding [b6mtabnalb1]: 1 = Not applicable
<b>bib6k9a</b>	How long does it take you to eat your evening meal	Questionnaire: Categorical value <hr/> 1324 non-missing values <hr/> Coding [b6mtabeattimelb1]: 1 = 5-10 minutes 2 = 11-20 minutes 3 = 21-30 minutes 4 = >30 minutes
<b>bib6k9b</b>	How long does it take your partner to eat your evening meal	Questionnaire: Categorical value <hr/> 1222 non-missing values <hr/> Coding [b6mtabeattimelb1]: 1 = 5-10 minutes 2 = 11-20 minutes 3 = 21-30 minutes 4 = >30 minutes
<b>bib6k9bna</b>	Question K9 not applicable	Questionnaire: Categorical value <hr/> 99 non-missing values <hr/> Coding [b6mtabnalb1]: 1 = Not applicable

Variable	Variable Label	Details
<b>bib611</b>	Fruit	<p>Questionnaire: Categorical value</p> <hr/> <p>1322 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:  1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6110</b>	Boiled rice	<p>Questionnaire: Categorical value</p> <hr/> <p>1319 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:  1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6111</b>	Chapattis/parathas/puris/nan without butter	<p>Questionnaire: Categorical value</p> <hr/> <p>1316 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:  1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>

Variable	Variable Label	Details
<b>bib6112</b>	Biscuits	<p>Questionnaire: Categorical value</p> <hr/> <p>1318 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6113</b>	Cakes/pastries	<p>Questionnaire: Categorical value</p> <hr/> <p>1308 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6114</b>	Crisps/other savoury snacks	<p>Questionnaire: Categorical value</p> <hr/> <p>1318 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>

Variable	Variable Label	Details
<b>bib6115</b>	Chevda,Bombay mix etc	<p>Questionnaire: Categorical value</p> <hr/> <p>1320 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6116</b>	Indian sweets	<p>Questionnaire: Categorical value</p> <hr/> <p>1320 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6117</b>	Samosas/pakorras/spring rolls	<p>Questionnaire: Categorical value</p> <hr/> <p>1319 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>

Variable	Variable Label	Details
<b>bib6118</b>	Sausage rolls/pork pies/pasties	<p>Questionnaire: Categorical value</p> <hr/> <p>1305 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6119</b>	Other snacks	<p>Questionnaire: Categorical value</p> <hr/> <p>1050 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6119otherspecified</b>	Specify other snacks	<p>Questionnaire: Text value</p> <hr/> <p>45 unique values  1336 non-missing values</p>
<b>bib612</b>	Salad	<p>Questionnaire: Categorical value</p> <hr/> <p>1320 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>



Variable	Variable Label	Details
<b>bib6120</b>	Natural fruit juice	<p>Questionnaire: Categorical value</p> <hr/> <p>1318 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6121</b>	Mango juice	<p>Questionnaire: Categorical value</p> <hr/> <p>1316 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6122</b>	Fruit drinks/squash - sugar-free	<p>Questionnaire: Categorical value</p> <hr/> <p>1311 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>

Variable	Variable Label	Details
<b>bib6123</b>	Fruit drinks/squash - contains sugar	Questionnaire: Categorical value  1305 non-missing values  Coding [b6mtabeatfreq1b1]: 1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day
<b>bib6124</b>	Coke/Pepsi/Fanta	Questionnaire: Categorical value  1307 non-missing values  Coding [b6mtabeatfreq1b1]: 1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day
<b>bib6125</b>	Diet Coke/diet Pepsi/diet Fanta	Questionnaire: Categorical value  1314 non-missing values  Coding [b6mtabeatfreq1b1]: 1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day

Variable	Variable Label	Details
<b>bib6126</b>	Meat pies/pasties, vegetarian pies	<p>Questionnaire: Categorical value</p> <hr/> <p>1314 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:  1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6127</b>	Pizza/quiche/flan	<p>Questionnaire: Categorical value</p> <hr/> <p>1315 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:  1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6128</b>	Chip-shop meal	<p>Questionnaire: Categorical value</p> <hr/> <p>1311 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:  1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>

Variable	Variable Label	Details
<b>bib6129</b>	Beef/veggie burgers	<p>Questionnaire: Categorical value</p> <hr/> <p>1189 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib613</b>	Vegetables	<p>Questionnaire: Categorical value</p> <hr/> <p>1322 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6130</b>	Fried chicken take-away	<p>Questionnaire: Categorical value</p> <hr/> <p>1312 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>

Variable	Variable Label	Details
<b>bib6131</b>	Indian take-away	<p>Questionnaire: Categorical value</p> <hr/> <p>1310 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6132</b>	Donner kebab	<p>Questionnaire: Categorical value</p> <hr/> <p>1172 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6133</b>	Chinese take-away	<p>Questionnaire: Categorical value</p> <hr/> <p>1309 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>

Variable	Variable Label	Details
<b>bib6134</b>	Other ready meal/take-away	<p>Questionnaire: Categorical value</p> <hr/> <p>1131 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib6134otherspecified</b>	Specify other ready meal/take-away	<p>Questionnaire: Text value</p> <hr/> <p>37 unique values  1336 non-missing values</p>
<b>bib614</b>	Boiled, mashed or jacket potatoes	<p>Questionnaire: Categorical value</p> <hr/> <p>1320 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib615</b>	Fried or roasted potatoes	<p>Questionnaire: Categorical value</p> <hr/> <p>1320 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:</p> <p>1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>

Variable	Variable Label	Details
<b>bib616</b>	Oven-cooked chips	<p>Questionnaire: Categorical value</p> <hr/> <p>1314 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:  1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib617</b>	Fried chips	<p>Questionnaire: Categorical value</p> <hr/> <p>1316 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:  1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>
<b>bib618</b>	Fried rice/biryani	<p>Questionnaire: Categorical value</p> <hr/> <p>1310 non-missing values</p> <hr/> <p>Coding [b6mtabeatfreq1b1]:  1 = Rarely or never  2 = &lt;1 per week  3 = Once per week  4 = 2-3 times per week  5 = 4-6 times per week  6 = 1-2 times per day  7 = 3-4 times per day  8 = 5+ times per day</p>

Variable	Variable Label	Details
<b>bib619</b>	Chapattis/parathas/puris/nan with butter	Questionnaire: Categorical value ----- 1321 non-missing values ----- Coding [b6mtabeatfreq1b1]: 1 = Rarely or never 2 = <1 per week 3 = Once per week 4 = 2-3 times per week 5 = 4-6 times per week 6 = 1-2 times per day 7 = 3-4 times per day 8 = 5+ times per day
<b>bib6language</b>	Language questionnaire administered in	Questionnaire: Categorical value ----- 1326 non-missing values ----- Coding [b6mtableng1b1]: 1 = English 2 = Mirpuri 3 = Urdu 4 = Other
<b>bib6length</b>	Length of child (cm)	Questionnaire: Continuous value ----- Range 57.4 to 79 Mean 68.98 1294 non-missing values
<b>bib6lengthunable</b>	Child's length unavailable	Questionnaire: Categorical value ----- 42 non-missing values ----- Coding [b6mtabnotavail1b1]: 1 = Not available
<b>bib6m1</b>	Physically struggle to get child to eat	Questionnaire: Categorical value ----- 1281 non-missing values ----- Coding [b6mtabfreq11b1]: 1 = Never 2 = Rarely 3 = Sometimes 4 = Most of the time 5 = Always 6 = Not applicable



Variable	Variable Label	Details
<b>bib6m10</b>	Suggest child that he eats dinner	<p>Questionnaire: Categorical value</p> <hr/> <p>1267 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:  1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6m11</b>	Tell child to 'Hurry up and eat food'	<p>Questionnaire: Categorical value</p> <hr/> <p>1272 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:  1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6m12</b>	Warn child will take something other than food if he doesn't eat	<p>Questionnaire: Categorical value</p> <hr/> <p>1268 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:  1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6m13</b>	Tell child to eat something on the plate	<p>Questionnaire: Categorical value</p> <hr/> <p>1266 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:  1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>

Variable	Variable Label	Details
<b>bib6m14</b>	Warn child you will take food away if he doesn't eat	<p>Questionnaire: Categorical value</p> <hr/> <p>1190 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6m15</b>	Say something positive about the food child is eating	<p>Questionnaire: Categorical value</p> <hr/> <p>1268 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6m16</b>	Spoon-feed child to get him to eat	<p>Questionnaire: Categorical value</p> <hr/> <p>1263 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6m17</b>	Help child eat dinner	<p>Questionnaire: Categorical value</p> <hr/> <p>1258 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>

Variable	Variable Label	Details
<b>bib6m18</b>	Encourage child to eat by using food as a reward	<p>Questionnaire: Categorical value</p> <hr/> <p>1264 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6m19</b>	Beg child to eat dinner	<p>Questionnaire: Categorical value</p> <hr/> <p>1270 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6m2</b>	Promise child something other than food if he eats	<p>Questionnaire: Categorical value</p> <hr/> <p>1276 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6m3</b>	Encourage child to eat by arranging food to make it more interesting	<p>Questionnaire: Categorical value</p> <hr/> <p>1273 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>

Variable	Variable Label	Details
<b>bib6m4</b>	Ask child questions about food during dinner	<p>Questionnaire: Categorical value</p> <hr/> <p>1275 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6m5</b>	Tell child to eat at least a little bit on their plate	<p>Questionnaire: Categorical value</p> <hr/> <p>1269 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6m6</b>	Reason with child to get him to eat	<p>Questionnaire: Categorical value</p> <hr/> <p>1272 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6m7</b>	Show your disapproval of child for not eating dinner	<p>Questionnaire: Categorical value</p> <hr/> <p>1268 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>

Variable	Variable Label	Details
<b>bib6m8</b>	Allow child to choose from food already prepared	<p>Questionnaire: Categorical value</p> <hr/> <p>1266 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6m9</b>	Compliment child for eating food	<p>Questionnaire: Categorical value</p> <hr/> <p>1276 non-missing values</p> <hr/> <p>Coding [b6mtabfreq11b1]:</p> <p>1 = Never  2 = Rarely  3 = Sometimes  4 = Most of the time  5 = Always  6 = Not applicable</p>
<b>bib6marcohab</b>	Marital/cohabitation status (derived)	<p>Questionnaire: Categorical value</p> <hr/> <p>1330 non-missing values</p> <hr/> <p>Coding [b6mtabmarcohab1b1]:</p> <p>1 = Married  2 = Cohabiting with partner  3 = Partner, not cohabiting  4 = Single</p>
<b>bib6motherweight</b>	Mother's weight (kg)	<p>Questionnaire: Continuous value</p> <hr/> <p>Range 35.9 to 136.8  Mean 69.58  1296 non-missing values</p>
<b>bib6motherweightunable</b>	Mother's weight unavailable	<p>Questionnaire: Categorical value</p> <hr/> <p>40 non-missing values</p> <hr/> <p>Coding [b6mtabnotavail1b1]:</p> <p>1 = Not available</p>

Variable	Variable Label	Details
<b>bib6mumactdurtot</b>	Total mins mother did walking/mod/vig activity continuously >10 mins	Questionnaire: Integer value Range 0 to 1680 Mean 175.87 1312 non-missing values
<b>bib6mumactfreqtot</b>	Total sessions mother did walking/mod/vig activity continuously >10 mins	Questionnaire: Continuous value Range 0 to 42 Mean 5.40 1312 non-missing values
<b>bib6mumgardtot</b>	Total mins mother did vigorous gardening continuously >10 mins	Questionnaire: Integer value Range 0 to 600 Mean 11.42 1321 non-missing values
<b>bib6mumhravday</b>	Average hours of daily TV viewing by mother	Questionnaire: Continuous value Range 0 to 9 Mean 3.22 1326 non-missing values
<b>bib6mumhrdaywk</b>	Hours of daily weekday TV viewing by mother	Questionnaire: Continuous value Range 0 to 9 Mean 3.28 1326 non-missing values
<b>bib6mumhrdaywkend</b>	Hours of daily weekend TV viewing by mother	Questionnaire: Continuous value Range 0 to 9 Mean 3.07 1326 non-missing values
<b>bib6mummodpatot</b>	Total mins mother did moderate physical activity continuously >10 mins	Questionnaire: Integer value Range 0 to 420 Mean 5.65 1315 non-missing values
<b>bib6mumsuffactvol</b>	Physical activity group based on total activity time only	Questionnaire: Categorical value 1312 non-missing values Coding [b6mtabactvo11b1]: 0 = Not active at all 1 = Active for 1 to 149 minutes 2 = Active for 150+ minutes

Variable	Variable Label	Details
<b>bib6mumsuffactvolfreq</b>	Physical activity group based on total activity time and frequency	<p>Questionnaire: Categorical value</p> <hr/> <p>1312 non-missing values</p> <hr/> <p>Coding [b6mtabactvolfreq1b1]:  0 = Not active at all  1 = Active for 1+ minutes less than 5 times per week  2 = Active for 150+ minutes more than 5 times per week</p>
<b>bib6mumvigpatot</b>	Total mins mother did vigorous physical activity continuously >10 mins	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 780  Mean 16.70  1322 non-missing values</p>
<b>bib6mumwalktot</b>	Total mins mother walked continuously >10 mins	<p>Questionnaire: Integer value</p> <hr/> <p>Range 0 to 780  Mean 137.14  1328 non-missing values</p>
<b>bib6n1</b>	Feeling perfectly well and in good health	<p>Questionnaire: Categorical value</p> <hr/> <p>1311 non-missing values</p> <hr/> <p>Coding [b6mtabhealth1b1]:  1 = Better than usual  2 = Same as usual  3 = Worse than usual  4 = Much worse than usual</p>
<b>bib6n10</b>	Felt constantly under strain	<p>Questionnaire: Categorical value</p> <hr/> <p>1297 non-missing values</p> <hr/> <p>Coding [b6mtabhealth2b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>

Variable	Variable Label	Details
<b>bib6n11</b>	Getting edgy/bad tempered	<p>Questionnaire: Categorical value</p> <hr/> <p>1307 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>
<b>bib6n12</b>	Getting scared/panicky	<p>Questionnaire: Categorical value</p> <hr/> <p>1305 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>
<b>bib6n13</b>	Found everything getting on top of you	<p>Questionnaire: Categorical value</p> <hr/> <p>1303 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>
<b>bib6n14</b>	Feeling nervous/strung-up	<p>Questionnaire: Categorical value</p> <hr/> <p>1306 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>
<b>bib6n15</b>	Managing to keep yourself busy/occupied	<p>Questionnaire: Categorical value</p> <hr/> <p>1306 non-missing values</p> <hr/> <p>Coding [b6mtabhealth31b1]:  1 = More so than usual  2 = Same as usual  3 = Rather less than usual  4 = Much less than usual</p>



Variable	Variable Label	Details
<b>bib6n16</b>	Taking longer over things you do	<p>Questionnaire: Categorical value</p> <hr/> <p>1304 non-missing values</p> <hr/> <p>Coding [b6mtabhealth41b1]:  1 = Quicker than usual  2 = Same as usual  3 = Longer than usual  4 = Much longer than usual</p>
<b>bib6n17</b>	Felt you were doing things well	<p>Questionnaire: Categorical value</p> <hr/> <p>1305 non-missing values</p> <hr/> <p>Coding [b6mtabhealth51b1]:  1 = Better than usual  2 = Same as usual  3 = Less well than usual  4 = Much less well than usual</p>
<b>bib6n18</b>	Been satisfied with the way you've carried out tasks	<p>Questionnaire: Categorical value</p> <hr/> <p>1304 non-missing values</p> <hr/> <p>Coding [b6mtabhealth61b1]:  1 = More satisfied than usual  2 = About the same as usual  3 = Less satisfied than usual  4 = Much less satisfied than usual</p>
<b>bib6n19</b>	Felt you're playing a useful part in things	<p>Questionnaire: Categorical value</p> <hr/> <p>1304 non-missing values</p> <hr/> <p>Coding [b6mtabhealth31b1]:  1 = More so than usual  2 = Same as usual  3 = Rather less than usual  4 = Much less than usual</p>
<b>bib6n2</b>	Feeling in need of a good tonic	<p>Questionnaire: Categorical value</p> <hr/> <p>1303 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>

Variable	Variable Label	Details
<b>bib6n20</b>	Capable fo making decisions about things	<p>Questionnaire: Categorical value</p> <hr/> <p>1304 non-missing values</p> <hr/> <p>Coding [b6mtabhealth31b1]:  1 = More so than usual  2 = Same as usual  3 = Rather less than usual  4 = Much less than usual</p>
<b>bib6n21</b>	Able to enjoy normal day-to-day activities	<p>Questionnaire: Categorical value</p> <hr/> <p>1306 non-missing values</p> <hr/> <p>Coding [b6mtabhealth31b1]:  1 = More so than usual  2 = Same as usual  3 = Rather less than usual  4 = Much less than usual</p>
<b>bib6n22</b>	Thinking of yourself as worthless	<p>Questionnaire: Categorical value</p> <hr/> <p>1301 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>
<b>bib6n23</b>	Felt life is hopeless	<p>Questionnaire: Categorical value</p> <hr/> <p>1299 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>
<b>bib6n24</b>	Felt life isn't worth living	<p>Questionnaire: Categorical value</p> <hr/> <p>1301 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>

Variable	Variable Label	Details
<b>bib6n25</b>	Thought you might make away with yourself	<p>Questionnaire: Categorical value</p> <hr/> <p>1300 non-missing values</p> <hr/> <p>Coding [b6mtabhealth71b1]:  1 = Definitely not  2 = I don't think so  3 = Has crossed my mind  4 = Definitely have</p>
<b>bib6n26</b>	Found you couldn't do anything because nerves were bad	<p>Questionnaire: Categorical value</p> <hr/> <p>1305 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>
<b>bib6n27</b>	Found yourself wishing you were dead	<p>Questionnaire: Categorical value</p> <hr/> <p>1303 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>
<b>bib6n28</b>	Found the idea of taking your own life coming inot your mind	<p>Questionnaire: Categorical value</p> <hr/> <p>1305 non-missing values</p> <hr/> <p>Coding [b6mtabhealth71b1]:  1 = Definitely not  2 = I don't think so  3 = Has crossed my mind  4 = Definitely have</p>
<b>bib6n3</b>	Feeling run down and out of sort	<p>Questionnaire: Categorical value</p> <hr/> <p>1303 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>

Variable	Variable Label	Details
<b>bib6n4</b>	Felt ill	<p>Questionnaire: Categorical value</p> <hr/> <p>1307 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>
<b>bib6n5</b>	Getting pains in head	<p>Questionnaire: Categorical value</p> <hr/> <p>1306 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>
<b>bib6n6</b>	Feeling tightness/pains in head	<p>Questionnaire: Categorical value</p> <hr/> <p>1310 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>
<b>bib6n7</b>	Having hot/cold spells	<p>Questionnaire: Categorical value</p> <hr/> <p>1310 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>
<b>bib6n8</b>	Lost much sleep over worry	<p>Questionnaire: Categorical value</p> <hr/> <p>1292 non-missing values</p> <hr/> <p>Coding [b6mtabhealth21b1]:  1 = Not at all  2 = No more than usual  3 = Rather more than usual  4 = Much more than usual</p>

Variable	Variable Label	Details
<b>bib6n9</b>	Difficulty staying asleep	Questionnaire: Categorical value <hr/> 1307 non-missing values <hr/> Coding [b6mtabhealth21b1]: 1 = Not at all 2 = No more than usual 3 = Rather more than usual 4 = Much more than usual
<b>bib6o1</b>	How easy/difficult is it to calm/soothe your baby when upset	Questionnaire: Integer value <hr/> Range 1 to 7 Mean 2.56 1309 non-missing values
<b>bib6o10</b>	How does baby respond to being in a new place	Questionnaire: Integer value <hr/> Range 1 to 7 Mean 2.49 1305 non-missing values
<b>bib6o11</b>	How well does baby adapt to things	Questionnaire: Integer value <hr/> Range 1 to 7 Mean 2.23 1304 non-missing values
<b>bib6o12</b>	How easily does baby get upset	Questionnaire: Integer value <hr/> Range 1 to 7 Mean 3.22 1305 non-missing values
<b>bib6o13</b>	When baby is upset, how vigorously does he cry	Questionnaire: Integer value <hr/> Range 1 to 7 Mean 3.40 1305 non-missing values
<b>bib6o14</b>	How does baby react when being dressed	Questionnaire: Integer value <hr/> Range 1 to 7 Mean 3.12 1307 non-missing values
<b>bib6o15</b>	How active is baby	Questionnaire: Integer value <hr/> Range 1 to 7 Mean 4.67 1305 non-missing values

Variable	Variable Label	Details
<b>bib6o16</b>	How much does baby smile/make happy sounds	Questionnaire: Integer value Range 1 to 7 Mean 2.17 1305 non-missing values
<b>bib6o17</b>	What kind of mood is baby generally in	Questionnaire: Integer value Range 1 to 7 Mean 1.63 1307 non-missing values
<b>bib6o18</b>	How much does baby enjoying playing games	Questionnaire: Integer value Range 1 to 7 Mean 1.65 1304 non-missing values
<b>bib6o19</b>	How much does baby want to be held	Questionnaire: Integer value Range 1 to 7 Mean 3.80 1305 non-missing values
<b>bib6o2</b>	How easy/difficult is it to predict when baby will go to sleep and wake up	Questionnaire: Integer value Range 1 to 7 Mean 2.51 1311 non-missing values
<b>bib6o20</b>	How does baby respond to disruptions/changes	Questionnaire: Integer value Range 1 to 7 Mean 2.86 1304 non-missing values
<b>bib6o21</b>	How easy can you predict a nappy change	Questionnaire: Integer value Range 1 to 7 Mean 2.12 1306 non-missing values
<b>bib6o22</b>	How changeable is baby's mood	Questionnaire: Integer value Range 1 to 7 Mean 3.21 1305 non-missing values

Variable	Variable Label	Details
<b>bib6o23</b>	How excited does baby become when being played with	Questionnaire: Integer value Range 1 to 7 Mean 1.58 1305 non-missing values
<b>bib6o24</b>	Rate overall degree of difficulty baby would present for average mother	Questionnaire: Integer value Range 1 to 7 Mean 2.99 1302 non-missing values
<b>bib6o3</b>	How easy/difficult is it to predict when baby will become hungry	Questionnaire: Integer value Range 1 to 7 Mean 2.10 1311 non-missing values
<b>bib6o4</b>	How easy/difficult is it to know what's bothering baby when he cries	Questionnaire: Integer value Range 1 to 7 Mean 2.67 1310 non-missing values
<b>bib6o5</b>	How many times per day does child get fussy/irritable	Questionnaire: Categorical value 1312 non-missing values Coding [b6mtabfreq31b1]: 1 = Never 2 = 1-2 times per day 3 = 3-4 times per day 4 = 5-6 times per day 5 = 7-9 times per day 6 = 10-14 times per day 7 = >15 times per day
<b>bib6o6</b>	How much does baby cry/fuss	Questionnaire: Integer value Range 1 to 7 Mean 2.61 1306 non-missing values
<b>bib6o7</b>	How did baby response to first bath	Questionnaire: Integer value Range 1 to 7 Mean 2.52 1306 non-missing values

Variable	Variable Label	Details
<b>bib6o8</b>	How did baby respond to first solid food	Questionnaire: Integer value <hr/> Range 1 to 7 Mean 2.48 1285 non-missing values
<b>bib6o9</b>	How does baby respond to a new person	Questionnaire: Integer value <hr/> Range 1 to 7 Mean 2.59 1306 non-missing values
<b>bib6p1</b>	Overall as a parent, do you feel that you are	Questionnaire: Categorical value <hr/> 1288 non-missing values <hr/> Coding [b6mtabparent1b1]: 1 = Not very good at being a parent 2 = A person who has some trouble being a parent 3 = An average parent 4 = A better than average parent 5 = A very good parent
<b>bib6p10</b>	How often do you enjoy doing things with child	Questionnaire: Categorical value <hr/> 1296 non-missing values <hr/> Coding [b6mtabfreq21b1]: 1 = Never 2 = Rarely 3 = Sometimes 4 = Often 5 = Always/almost always
<b>bib6p11</b>	How often do you feel close to child when he is happy or upset	Questionnaire: Categorical value <hr/> 1298 non-missing values <hr/> Coding [b6mtabfreq21b1]: 1 = Never 2 = Rarely 3 = Sometimes 4 = Often 5 = Always/almost always
<b>bib6p12</b>	I have been angry with child	Questionnaire: Integer value <hr/> Range 1 to 10 Mean 1.68 1297 non-missing values



Variable	Variable Label	Details
<b>bib6p13</b>	I have raise dmy voice/shouted at child	Questionnaire: Integer value Range 1 to 10 Mean 1.48 1297 non-missing values
<b>bib6p14</b>	When child cries he gets on my nerves	Questionnaire: Integer value Range 1 to 10 Mean 1.74 1296 non-missing values
<b>bib6p15</b>	I have lost my temper with child	Questionnaire: Integer value Range 1 to 10 Mean 1.23 1294 non-missing values
<b>bib6p16</b>	I have left child alone in his bedroom when he was upset	Questionnaire: Integer value Range 1 to 10 Mean 1.25 1297 non-missing values
<b>bib6p17</b>	I always check on child immediately when he is crying	Questionnaire: Categorical value 1298 non-missing values Coding [b6mtabagreement31b1]: 1 = Strongly agree 2 = Agree 3 = Neither agree or disagree 4 = Disagree 5 = Strongly disagree
<b>bib6p18</b>	Child is happier with me than with babysitters	Questionnaire: Categorical value 1293 non-missing values Coding [b6mtabagreement31b1]: 1 = Strongly agree 2 = Agree 3 = Neither agree or disagree 4 = Disagree 5 = Strongly disagree

Variable	Variable Label	Details
<b>bib6p19</b>	When away from child I worry whether sitter is able to soothe child	<p>Questionnaire: Categorical value</p> <hr/> <p>1291 non-missing values</p> <hr/> <p>Coding [b6mtabagreement31b1]:</p> <p>1 = Strongly agree  2 = Agree  3 = Neither agree or disagree  4 = Disagree  5 = Strongly disagree</p>
<b>bib6p2</b>	I am very good at keeping child amused	<p>Questionnaire: Integer value</p> <hr/> <p>Range 1 to 10  Mean 8.25  1294 non-missing values</p>
<b>bib6p20</b>	Only a mother naturally knows how to comfort her distressed child	<p>Questionnaire: Categorical value</p> <hr/> <p>1294 non-missing values</p> <hr/> <p>Coding [b6mtabagreement31b1]:</p> <p>1 = Strongly agree  2 = Agree  3 = Neither agree or disagree  4 = Disagree  5 = Strongly disagree</p>
<b>bib6p21</b>	I worry when someone else cares for child	<p>Questionnaire: Categorical value</p> <hr/> <p>1290 non-missing values</p> <hr/> <p>Coding [b6mtabagreement31b1]:</p> <p>1 = Strongly agree  2 = Agree  3 = Neither agree or disagree  4 = Disagree  5 = Strongly disagree</p>
<b>bib6p22</b>	I'm naturally better at keeping child safe than any other person	<p>Questionnaire: Categorical value</p> <hr/> <p>1294 non-missing values</p> <hr/> <p>Coding [b6mtabagreement31b1]:</p> <p>1 = Strongly agree  2 = Agree  3 = Neither agree or disagree  4 = Disagree  5 = Strongly disagree</p>

Variable	Variable Label	Details
<b>bib6p23</b>	Child is likely to get upset when left with babysitter	Questionnaire: Categorical value <hr/> 1294 non-missing values <hr/> Coding [b6mtabagreement31b1]: 1 = Strongly agree 2 = Agree 3 = Neither agree or disagree 4 = Disagree 5 = Strongly disagree
<b>bib6p3</b>	I am very good at calming child when upset	Questionnaire: Integer value <hr/> Range 1 to 10 Mean 8.59 1296 non-missing values
<b>bib6p4</b>	I am very good at keeping child busy while doing housework	Questionnaire: Integer value <hr/> Range 1 to 10 Mean 7.64 1294 non-missing values
<b>bib6p5</b>	I am very good at routine tasks of caring for child	Questionnaire: Integer value <hr/> Range 1 to 10 Mean 8.94 1296 non-missing values
<b>bib6p6</b>	How often do you express affection by hugging etc child	Questionnaire: Categorical value <hr/> 1299 non-missing values <hr/> Coding [b6mtabfreq21b1]: 1 = Never 2 = Rarely 3 = Sometimes 4 = Often 5 = Always/almost always
<b>bib6p7</b>	How often do you hug child for no particular reason	Questionnaire: Categorical value <hr/> 1296 non-missing values <hr/> Coding [b6mtabfreq21b1]: 1 = Never 2 = Rarely 3 = Sometimes 4 = Often 5 = Always/almost always

Variable	Variable Label	Details
<b>bib6p8</b>	How often do you tell child how happy he makes you	Questionnaire: Categorical value <hr/> 1294 non-missing values <hr/> Coding [b6mtabfreq21b1]: 1 = Never 2 = Rarely 3 = Sometimes 4 = Often 5 = Always/almost always
<b>bib6p9</b>	How often do you have warm/close times with child	Questionnaire: Categorical value <hr/> 1295 non-missing values <hr/> Coding [b6mtabfreq21b1]: 1 = Never 2 = Rarely 3 = Sometimes 4 = Often 5 = Always/almost always
<b>bib6subscap</b>	Child's subscapular skinfold (mm)	Questionnaire: Continuous value <hr/> Range 4 to 14 Mean 8.15 1184 non-missing values
<b>bib6subscapunable</b>	Child's subscapular skinfold unavailable	Questionnaire: Categorical value <hr/> 152 non-missing values <hr/> Coding [b6mtabnotavail1b1]: 1 = Not available
<b>bib6thigh</b>	Child's thigh skinfold (mm)	Questionnaire: Continuous value <hr/> Range 8 to 40 Mean 22.69 1188 non-missing values
<b>bib6thighunable</b>	Child's thigh skinfold unavailable	Questionnaire: Categorical value <hr/> 148 non-missing values <hr/> Coding [b6mtabnotavail1b1]: 1 = Not available

Variable	Variable Label	Details
<b>bib6triceps</b>	Child's triceps skinfold (mm)	Questionnaire: Continuous value Range 7 to 28 Mean 12.41 1189 non-missing values
<b>bib6tricepsunable</b>	Child's triceps skinfold unavailable	Questionnaire: Categorical value 147 non-missing values Coding [b6mtabnotavail1b1]: 1 = Not available
<b>date_b6mtab</b>	Date: BiB 1000 Questionnaire: bib6_maintable	[Hidden] Administrative: Date value Data capture date for source: BiB 1000 Questionnaire: bib6_maintable Range 2009-03-23 to 2010-04-13 1336 non-missing values
<b>day_b6mtab</b>	BiB day: BiB 1000 Questionnaire: bib6_maintable	[Hidden] Administrative: Integer value Data capture date in days from BiB start for source: BiB 1000 Questionnaire: bib6_maintable Range 745 to 1131 Mean 931.63 1336 non-missing values
<b>dayc_b6mtab</b>	Child cohort days: BiB 1000 Questionnaire: bib6_maintable	[Hidden] Administrative: Integer value Child days from cohort start (Birth) to data capture date for source: BiB 1000 Questionnaire: bib6_maintable Range 148 to 286 Mean 202.47 1336 non-missing values